



FRDM-MCXL255 Development Board Using MCUXpresso

FRDM-MCXL255 NEW

Preproduction


このページでは、試作品の情報を掲載しています。ここに記載されている仕様や情報は、予告なく変更されることがあります。追加情報については、または営業担当者にお問い合わせください。

Last Updated: Mar 4, 2026

FRDM#MCXL255 boards are compact and scalable development platforms for rapid prototyping with the MCXL255/254/253 microcontroller units (MCUs). They support a wide operating voltage range from 1.8 V to 3.3 V, enabling flexible use across various applications. The boards provide industry#standard headers for easy access to MCU I/Os, integrated open#standard serial interfaces, external flash memory, and an on#board MCU#Link debugger.

Additional resources—such as the Expansion Board Hub (EBH) for add#on boards and the Application Code Hub (ACH) for software examples—are available through the MCUXpresso Developer Experience.

FRDM-MCXL255 Block Diagram



View additional information for [FRDM-MCXL255 Development Board Using MCUXpresso](#).

Note: The information on this document is subject to change without notice.

www.nxp.com

NXP and the NXP logo are trademarks of NXP B.V. All other product or service names are the property of their respective owners. The related technology may be protected by any or all of patents, copyrights, designs and trade secrets. All rights reserved. © 2026 NXP B.V.