



RW610FML: High-Performance Wi-Fi 6 and Bluetooth® Low Energy (LE) Combo Module with Integrated MCU

RW610FML **NEW**

Preproduction


このページでは、試作品の情報を掲載しています。ここに記載されている仕様や情報は、予告なく変更されることがあります。追加情報については、または営業担当者にお問い合わせください。

Last Updated: Jul 28, 2026

The RW610FML is a low-power, high-performance Wi-Fi 6 and Bluetooth combo module supporting IEEE 802.11a/b/g/n/ac/ax and Bluetooth® Low Energy (BLE) protocols. The module integrates a rich set of peripheral interfaces, enabling flexible design and broad application support across IoT, and consumer devices.

RW610FML module is based on RW610, a highly integrated, low-power wireless MCU with an integrated MCU and Wi-Fi® 6 + Bluetooth® Low Energy radios. The RW610 MCU subsystem includes a 260 MHz Arm® Cortex®-M33 core with Trustzone™-M, 1.2 MB on-chip SRAM and a high-bandwidth Quad SPI interface with an on-the-fly decryption engine for securely accessing off-chip execute-in-place (XIP) flash.

RW610FML Block Diagram



View additional information for [RW610FML: High-Performance Wi-Fi 6 and Bluetooth® Low Energy \(LE\) Combo Module with Integrated MCU](#).

Note: The information on this document is subject to change without notice.

www.nxp.com

NXP and the NXP logo are trademarks of NXP B.V. All other product or service names are the property of their respective owners. The related technology may be protected by any or all of patents, copyrights, designs and trade secrets. All rights reserved. © 2026 NXP B.V.