



2nd Generation CAN SIC Transceiver with Standby Mode (ASIL B)

TJA1464 NEW

Preproduction


このページでは、試作品の情報を掲載しています。ここに記載されている仕様や情報は、予告なく変更されることがあります。追加情報については、または営業担当者にお問い合わせください。

Last Updated: Mar 31, 2026

The TJA1464 is a CAN SIC (Signal Improvement Capability) transceiver with standby mode, designed for high-speed automotive and industrial CAN networks. Fully compliant with ISO 11898#2:2024 and SAE J2284#1 through J2284#5, it reduces signal ringing to enable reliable CAN FD communication at 5 Mbit/s, and supports data rates up to 8 Mbit/s in larger and more complex network topologies.

Compared to the TJA1462, the TJA1464 provides a more cost-effective solution while adding ASIL B functional safety and extended bus-load capability compatible with CAN XL. It is fully backward compatible with NXP's widely adopted CAN transceivers, including the TJA1042, TJA1044, and TJA1462, making it easy to integrate into existing CAN and CAN FD system designs.

TJA1464 Block Diagram



View additional information for [2nd Generation CAN SIC Transceiver with Standby Mode \(ASIL B\)](#).

Note: The information on this document is subject to change without notice.

www.nxp.com

NXP and the NXP logo are trademarks of NXP B.V. All other product or service names are the property of their respective owners. The related technology may be protected by any or all of patents, copyrights, designs and trade secrets. All rights reserved. © 2026 NXP B.V.