

# MCUXSDKMAFMRN

Maestro Audio Framework v1.5 for MCUXpresso SDK 2.13.0

Rev. 3 — 8 December 2022

Release notes

## Document information

Information	Content
Keywords	Maestro Audio Framework, Maestro, MCUXSDKMAFMRN
Abstract	This document describes the release contents, features, and limitations of the Maestro Audio Framework 1.5 for the MCUXpresso 2.13.0



## 1 Introduction

This document describes the release contents, features, and limitations of the Maestro Audio Framework 1.5 for the MCUXpresso 2.13.0 release.

Maestro is an audio processing software framework for MCUs that provides audio device connectivity and playback functionality for many diverse media devices.

The framework contains various modules that abstract functionality and provides a standard programming interface for the application developer to use. Maestro provides functionality for common audio use cases and includes configuration options providing the flexibility required for customizing applications. The main supported features are:

- Full audio framework with a streamer that supports playback control and streaming or decoding of audio.
- Decoding of various audio formats supported for audio files stored on FAT32 formatted media.
- Various utilities to aid in debugging and profiling the system.

The platform uses the NXP OS abstraction (OSA) layer which allows it to run on any OS that supports the NXP OSA. Currently, the OSA contains abstraction for FreeRTOS.

The FreeRTOS abstraction is currently supported in Maestro Framework.

## 2 Development tools

The Maestro audio framework libraries are compiled and tested with the following development tools.

- MCUXpresso IDE, version 11.7.0
- IAR Embedded Workbench for Arm version 9.32.1
- GNU Arm Embedded Toolchain 10.3-2021.10

## 3 Release contents

[Table 1](#) lists the release contents for the IMXRT1060-EVKB board.

Table 1. Release contents

Deliverable	Location
Maestro libraries	middleware/maestro/libs/...
Header files for API usage	middleware/maestro/inc/... middleware/maestro/streamer/inc/...
Source codes	middleware/maestro/mcu-audio/... middleware/maestro/streamer/...
Documentation	middleware/maestro/docs/...

Table 1. Release contents...continued

Deliverable	Location
Demo applications	boards/evkbmimxrt1060/audio_examples/ maestro_playback/... boards/evkbmimxrt1060/audio_examples/ maestro_playback_8ch_96kHz/... boards/evkmimxrt1060/audio_examples/ maestro_record/... boards/evkmimxrt1060/audio_examples/ maestro_usb_mic/... boards/evkmimxrt1060/audio_examples/ maestro_usb_speaker/...

## 4 Maestro audio framework release overview

The Maestro audio framework together with MCUXpresso SDK forms a framework for the development of audio processing software for NXP devices. The currently supported platform are: IMXRT1040, IMXRT1050-EVKB, IMXRT1060-EVK, IMXRT1060-EVKB, IMXRT1064-EVK, IMXRT1160-EVK, IMXRT1170-EVK, and LPC55S69

- Maestro audio framework libraries for Arm Cortex-M7, ArmCortex-M33.
- Demo applications to show how to use different Maestro features.
- Getting started document showing how to integrate and start using Maestro audio framework.
- API Reference manual with detailed architectural information and APIs.

### 4.1 Maestro libraries

Maestro libraries are pre-compiled source code libraries that in conjunction, provide all the features described in this document. This framework is divided into multiple libraries to allow adding or removing specific functions to make a customized version of the Maestro audio framework for each application.

### 4.2 Demo applications

**maestro\_playback:** A shell-based application that allows reading a file (mp3 or ogg opus) from SD card, audio file decode (if enabled, EAP post processing), and playback through line-out (speaker or headphones). It is located at: <MCUXpressoSDK\_install\_dir>/boards/<board\_name>/audio\_examples/maestro\_playback.

**maestro\_playback\_8ch\_96kHz:** A shell-based application that allows reading a raw pcm file from SD card, (if enabled, EAP post processing) and playback through line-out (speaker or headphones). It is located at: <MCUXpressoSDK\_install\_dir>/boards/<board\_name>/audio\_examples/maestro\_playback\_8ch\_96kHz.

**maestro\_record:** A shell-based application that allows audio recording from an on-board microphone. There are three possibilities how to process the audio stream:

- playback through a line-out (headphones or speaker)
- store samples to a file on SD card
- perform VoiceSeeker pre-processing on the following platforms:
  - IMXRT1060-EVKB
  - IMXRT1160

- IMXRT1170
- perform voice recognition (VIT - wake word and voice command) - available on following platforms:
  - IMXRT1060-EVK
  - IMXRT1060-EVKB
  - IMXRT1160-EVK
  - IMXRT1170-EVK
  - IMXRT1040
  - IMXRT1050

It is located at: `<MCUXpressoSDK_install_dir>/boards/<board_name>/audio_examples/maestro_record`.

**maestro\_usb\_mic:** A shell-based application that allows recording audio data from the microphone and playback to the USB port as an audio 2.0 microphone device. It is located at: `<MCUXpressoSDK_install_dir>/boards/<board_name>/audio_examples/maestro_usb_mic`.

**maestro\_usb\_speaker:** A shell-based application that allows playing data from the USB port as an audio 2.0 speaker device. It is located at: `<MCUXpressoSDK_install_dir>/boards/<board_name>/audio_examples/maestro_usb_speaker`.

### 4.3 Getting started with Maestro

This document shows how to start using the framework. It gives detailed information on how to use the libraries and include files and how to create a first project to use this solution based on the reference demo application.

### 4.4 API Reference Manual

The Maestro audio framework API Reference Manual is a comprehensive document explaining the framework architecture and provides details of the functionality. It is delivered in form of an HTML page with cross-reference and search engine.

## 5 Known issues and limitations

None reported

## 6 Revision history

This table summarizes revisions to this document.

Table 2. Revision history

Revision Number	Date	Substantive changes
0	22 December 2020	Initial release
1	22 December 2021	Updated for Maestro 1.2
2	30 June 2022	Updated for Maestro 1.3
3	08 December 2022	Updated for Maestro 1.5

## 7 Legal information

### 7.1 Definitions

**Draft** — A draft status on a document indicates that the content is still under internal review and subject to formal approval, which may result in modifications or additions. NXP Semiconductors does not give any representations or warranties as to the accuracy or completeness of information included in a draft version of a document and shall have no liability for the consequences of use of such information.

### 7.2 Disclaimers

**Limited warranty and liability** — Information in this document is believed to be accurate and reliable. However, NXP Semiconductors does not give any representations or warranties, expressed or implied, as to the accuracy or completeness of such information and shall have no liability for the consequences of use of such information. NXP Semiconductors takes no responsibility for the content in this document if provided by an information source outside of NXP Semiconductors.

In no event shall NXP Semiconductors be liable for any indirect, incidental, punitive, special or consequential damages (including - without limitation - lost profits, lost savings, business interruption, costs related to the removal or replacement of any products or rework charges) whether or not such damages are based on tort (including negligence), warranty, breach of contract or any other legal theory.

Notwithstanding any damages that customer might incur for any reason whatsoever, NXP Semiconductors' aggregate and cumulative liability towards customer for the products described herein shall be limited in accordance with the Terms and conditions of commercial sale of NXP Semiconductors.

**Right to make changes** — NXP Semiconductors reserves the right to make changes to information published in this document, including without limitation specifications and product descriptions, at any time and without notice. This document supersedes and replaces all information supplied prior to the publication hereof.

**Suitability for use** — NXP Semiconductors products are not designed, authorized or warranted to be suitable for use in life support, life-critical or safety-critical systems or equipment, nor in applications where failure or malfunction of an NXP Semiconductors product can reasonably be expected to result in personal injury, death or severe property or environmental damage. NXP Semiconductors and its suppliers accept no liability for inclusion and/or use of NXP Semiconductors products in such equipment or applications and therefore such inclusion and/or use is at the customer's own risk.

**Applications** — Applications that are described herein for any of these products are for illustrative purposes only. NXP Semiconductors makes no representation or warranty that such applications will be suitable for the specified use without further testing or modification. Customers are responsible for the design and operation of their applications and products using NXP Semiconductors products, and NXP Semiconductors accepts no liability for any assistance with applications or customer product design. It is customer's sole responsibility to determine whether the NXP Semiconductors product is suitable and fit for the customer's applications and products planned, as well as for the planned application and use of customer's third party customer(s). Customers should provide appropriate design and operating safeguards to minimize the risks associated with their applications and products.

NXP Semiconductors does not accept any liability related to any default, damage, costs or problem which is based on any weakness or default in the customer's applications or products, or the application or use by customer's third party customer(s). Customer is responsible for doing all necessary testing for the customer's applications and products using NXP Semiconductors products in order to avoid a default of the applications and the products or of the application or use by customer's third party customer(s). NXP does not accept any liability in this respect.

**Terms and conditions of commercial sale** — NXP Semiconductors products are sold subject to the general terms and conditions of commercial sale, as published at <http://www.nxp.com/profile/terms>, unless otherwise agreed in a valid written individual agreement. In case an individual agreement is concluded only the terms and conditions of the respective agreement shall apply. NXP Semiconductors hereby expressly objects to applying the customer's general terms and conditions with regard to the purchase of NXP Semiconductors products by customer.

**Export control** — This document as well as the item(s) described herein may be subject to export control regulations. Export might require a prior authorization from competent authorities.

**Suitability for use in non-automotive qualified products** — Unless this data sheet expressly states that this specific NXP Semiconductors product is automotive qualified, the product is not suitable for automotive use. It is neither qualified nor tested in accordance with automotive testing or application requirements. NXP Semiconductors accepts no liability for inclusion and/or use of non-automotive qualified products in automotive equipment or applications.

In the event that customer uses the product for design-in and use in automotive applications to automotive specifications and standards, customer (a) shall use the product without NXP Semiconductors' warranty of the product for such automotive applications, use and specifications, and (b) whenever customer uses the product for automotive applications beyond NXP Semiconductors' specifications such use shall be solely at customer's own risk, and (c) customer fully indemnifies NXP Semiconductors for any liability, damages or failed product claims resulting from customer design and use of the product for automotive applications beyond NXP Semiconductors' standard warranty and NXP Semiconductors' product specifications.

**Translations** — A non-English (translated) version of a document, including the legal information in that document, is for reference only. The English version shall prevail in case of any discrepancy between the translated and English versions.

**Security** — Customer understands that all NXP products may be subject to unidentified vulnerabilities or may support established security standards or specifications with known limitations. Customer is responsible for the design and operation of its applications and products throughout their lifecycles to reduce the effect of these vulnerabilities on customer's applications and products. Customer's responsibility also extends to other open and/or proprietary technologies supported by NXP products for use in customer's applications. NXP accepts no liability for any vulnerability. Customer should regularly check security updates from NXP and follow up appropriately. Customer shall select products with security features that best meet rules, regulations, and standards of the intended application and make the ultimate design decisions regarding its products and is solely responsible for compliance with all legal, regulatory, and security related requirements concerning its products, regardless of any information or support that may be provided by NXP.

NXP has a Product Security Incident Response Team (PSIRT) (reachable at [PSIRT@nxp.com](mailto:PSIRT@nxp.com)) that manages the investigation, reporting, and solution release to security vulnerabilities of NXP products.

### 7.3 Trademarks

Notice: All referenced brands, product names, service names, and trademarks are the property of their respective owners.

**NXP** — wordmark and logo are trademarks of NXP B.V.

**AMBA, Arm, Arm7, Arm7TDMI, Arm9, Arm11, Artisan, big.LITTLE, Cordio, CoreLink, CoreSight, Cortex, DesignStart, DynamiQ, Jazelle, Keil, Mali, Mbed, Mbed Enabled, NEON, POP, RealView, SecurCore, Socrates, Thumb, TrustZone, ULINK, ULINK2, ULINK-ME, ULINK-PLUS, ULINKpro, µVision, Versatile** — are trademarks or registered trademarks of Arm Limited (or its subsidiaries) in the US and/or elsewhere. The related technology may be protected by any or all of patents, copyrights, designs and trade secrets. All rights reserved.

## Contents

---

<b>1</b>	<b>Introduction .....</b>	<b>2</b>
<b>2</b>	<b>Development tools .....</b>	<b>2</b>
<b>3</b>	<b>Release contents .....</b>	<b>2</b>
<b>4</b>	<b>Maestro audio framework release overview .....</b>	<b>3</b>
4.1	Maestro libraries .....	3
4.2	Demo applications .....	3
4.3	Getting started with Maestro .....	4
4.4	API Reference Manual .....	4
<b>5</b>	<b>Known issues and limitations .....</b>	<b>4</b>
<b>6</b>	<b>Revision history .....</b>	<b>4</b>
<b>7</b>	<b>Legal information .....</b>	<b>5</b>

---

Please be aware that important notices concerning this document and the product(s) described herein, have been included in section 'Legal information'.

---

© 2022 NXP B.V.

All rights reserved.

For more information, please visit: <http://www.nxp.com>

Date of release: 8 December 2022  
Document identifier: MCUXSDKMAFMRN