AN13681

Wi-Fi Alliance Derivative Certification Process for RW61x

Rev. 4.0 — 17 September 2025

Application note

Document information

Information	Content
Keywords	Wi-Fi Alliance (WFA), certificate qualification, certification process, derivative, RW610, RW612
Abstract	Overview of Wi-Fi Alliance certification program, the roles and responsibilities, and the step-by-step procedure of the Wi-Fi derivative certification process



Wi-Fi Alliance Derivative Certification Process for RW61x

1 About this document

The document presents the Wi-Fi Alliance derivative certification process.

Wi-Fi Alliance Derivative Certification Process for RW61x

2 Wi-Fi certification program

The Wi-Fi CERTIFIED[™] logo on a product certifies the compliance with the industry agreed standard for interoperability, security, quality and a range of application specific protocols.

The Wi-Fi certification program guarantees tested and proven interoperability among Wi-Fi devices.

The Wi-Fi certification is an important milestone before the product launch. You can complete this last milestone at an authorized test laboratory (ATL) or at a solution test laboratory (STL).

For more information, visit ref.[1].

2.1 Certificate qualification

RW610. RW612

- STA | 802.11n
- STA | PMF
- STA | 802.11ac
- STA | FFD
- STA | SVD
- STA | WPA3 SAE (R3)
- STA | 802.11ax
- STA | QTT

2.2 Roles and responsibilities

Wi-Fi Alliance (WFA)

- · Owns the certification program.
- · Maintains the policies and requirements.
- Reviews the ATL results.
- · Owns the final approval of Wi-Fi CERTIFIED products.

Authorized Test Laboratories (ATL)

- · Operate as independent testing facilities.
- · Submit the results to the Wi-Fi Alliance.
- · Provide support for the ASD approval.
- Certify Wi-Fi products from any vendor.

Solution Test Laboratories (STL)


- The Wi-Fi Alliance (WFA) grants the STL accreditation for Wi-Fi products.
- NXP is a Wi-Fi Alliance STL.
- The STLs:
 - Test and validate the compliance of Wi-Fi products with IEEE 802.11 standards.
 - Only certify the Wi-Fi products from the solution provider.

Wi-Fi Alliance Derivative Certification Process for RW61x

WFA members

- Acquire a membership (pre-requisite to obtain certification).
- · Select a laboratory.
- Deliver the products to the laboratory.

2.3 Certification process



Note: Some steps of the certification process are skipped for a derivative certification. The process is explained in the following section.

Wi-Fi Alliance Derivative Certification Process for RW61x

3 Derivative certification

A derivative certification is a cost-effective way to utilize test results of a Wi-Fi CERTIFIED source product.

Multiple derivative certifications can be submitted from the same source product.

The new product must have the same silicon, operating system, and firmware as the Wi-Fi CERTIFIED source product.

The new product must operate in the same manner as the Wi-Fi CERTIFIED source product.


Any change in the new product MUST NOT affect the wireless functionality.

A derivative certification cannot be designated as a source.

A derivative certification cannot be used to seek another derivative certification.

3.1 Derivative certification process

Figure 2 illustrates the derivative certification process. Refer to Section 4 for details on each step of the process.




Wi-Fi Alliance Derivative Certification Process for RW61x

4 Step by step procedure

This section shows how to prepare and submit an application on Wi-Fi Alliance website


4.1 Sign in on Wi-Fi Alliance website and start a new application

- Open Wi-Fi Alliance website ref.[1].
- · Sign in as member.
- Select the New Application tab. See Figure 3.



• On the New application page, select the certification type A Derivative of Existing Product. See Figure 4.

Wi-Fi Alliance Derivative Certification Process for RW61x



- In the drop-down list, select NXP as the **Source Company**.
- In the second drop-down list, select the CID for RW610 or RW612:
 - RW610: WFA127282RW612: WFA130772



• Click **Next** to open the **Product Information** page.


Wi-Fi Alliance Derivative Certification Process for RW61x

4.2 Fill in the product information

When the **Product Information** page opens:

- Enter the **Product name** and **Variant name**.
- Enter the Module number and provide the Product URL.
- Select the Primary Category of Product in the drop-down list.

Note: Wi-Fi components cannot be modified. The list of Wi-Fi components shows for the CID option you have selected.




- · Verify the Wi-Fi component details.
- Click Next to open the page with Wi-Fi Alliance Terms and Agreements.

Wi-Fi Alliance Derivative Certification Process for RW61x

4.3 Submit the application

- Tick the two check boxes to accept Wi-Fi Alliance terms and agreements as authorized member and representative of your organization. See <u>Figure 7</u>.
- Click Submit Application.



Wi-Fi Alliance Derivative Certification Process for RW61x

5 Obligations and outcomes for derivative certifications

- A member holding the source certification shall be informed of all approved derivative certifications.
- The member holding the source certification and the member holding the derivative certification shall both be accountable for addressing interoperability concerns.
- If interoperability concerns are found with a Derivative Certification and/or Source Certification then both certifications shall be subject to additional verification.
- · If identified interoperability concern has not been resolved, the associated certifications shall be revoked.
- If information provided in the certification application(s) is found to be inaccurate, the associated certifications shall be revoked.
- If a Source Certification is revoked, all Derivative Certifications based on that Source Certification shall be revoked.
- A Member holding a Source Certification or a Derivative Certification shall be responsible for responding to Wi-Fi Alliance requests for information in support of these activities.

Wi-Fi Alliance Derivative Certification Process for RW61x

6 Abbreviations

Table 1. Abbreviations

Acronym	Description
ATL	Authorized test laboratory
CID	Certification identification number
STL	Solution test laboratory
WFA	Wi-Fi alliance

7 References

[1] Website – Wi-Fi Alliance website (link)

Wi-Fi Alliance Derivative Certification Process for RW61x

8 Revision history

Table 2. Revision history

Document ID	Release date	Description
AN13681 v.4.0	17 September 2025	 Section 1 "About this document": updated. Section 2 "Wi-Fi certification program": updated the introduction. Section 2.2 "Roles and responsibilities": updated. Section 2.3 "Certification process": updated the note. Section 3 "Derivative certification": updated the introduction.
AN13681 v.3.0	13 June 2025	Section 4.1 "Sign in on Wi-Fi Alliance website and start a new application": added Figure 5.
AN13681 v.2.0	8 January 2025	 Document access changed to public Section 2.1 "Certificate qualification": updated. Section 4.1 "Sign in on Wi-Fi Alliance website and start a new application": updated the CID for RW612.
AN13681 v.1.0	12 December 2023	Initial version

Wi-Fi Alliance Derivative Certification Process for RW61x

Legal information

Definitions

Draft — A draft status on a document indicates that the content is still under internal review and subject to formal approval, which may result in modifications or additions. NXP Semiconductors does not give any representations or warranties as to the accuracy or completeness of information included in a draft version of a document and shall have no liability for the consequences of use of such information.

Disclaimers

Limited warranty and liability — Information in this document is believed to be accurate and reliable. However, NXP Semiconductors does not give any representations or warranties, expressed or implied, as to the accuracy or completeness of such information and shall have no liability for the consequences of use of such information. NXP Semiconductors takes no responsibility for the content in this document if provided by an information source outside of NXP Semiconductors.

In no event shall NXP Semiconductors be liable for any indirect, incidental, punitive, special or consequential damages (including - without limitation - lost profits, lost savings, business interruption, costs related to the removal or replacement of any products or rework charges) whether or not such damages are based on tort (including negligence), warranty, breach of contract or any other legal theory.

Notwithstanding any damages that customer might incur for any reason whatsoever, NXP Semiconductors' aggregate and cumulative liability towards customer for the products described herein shall be limited in accordance with the Terms and conditions of commercial sale of NXP Semiconductors.

Right to make changes — NXP Semiconductors reserves the right to make changes to information published in this document, including without limitation specifications and product descriptions, at any time and without notice. This document supersedes and replaces all information supplied prior to the publication hereof.

Suitability for use — NXP Semiconductors products are not designed, authorized or warranted to be suitable for use in life support, life-critical or safety-critical systems or equipment, nor in applications where failure or malfunction of an NXP Semiconductors product can reasonably be expected to result in personal injury, death or severe property or environmental damage. NXP Semiconductors and its suppliers accept no liability for inclusion and/or use of NXP Semiconductors products in such equipment or applications and therefore such inclusion and/or use is at the customer's own risk

Applications — Applications that are described herein for any of these products are for illustrative purposes only. NXP Semiconductors makes no representation or warranty that such applications will be suitable for the specified use without further testing or modification.

Customers are responsible for the design and operation of their applications and products using NXP Semiconductors products, and NXP Semiconductors accepts no liability for any assistance with applications or customer product design. It is customer's sole responsibility to determine whether the NXP Semiconductors product is suitable and fit for the customer's applications and products planned, as well as for the planned application and use of customer's third party customer(s). Customers should provide appropriate design and operating safeguards to minimize the risks associated with their applications and products.

NXP Semiconductors does not accept any liability related to any default, damage, costs or problem which is based on any weakness or default in the customer's applications or products, or the application or use by customer's third party customer(s). Customer is responsible for doing all necessary testing for the customer's applications and products using NXP Semiconductors products in order to avoid a default of the applications and the products or of the application or use by customer's third party customer(s). NXP does not accept any liability in this respect.

Terms and conditions of commercial sale — NXP Semiconductors products are sold subject to the general terms and conditions of commercial sale, as published at https://www.nxp.com/profile/terms, unless otherwise agreed in a valid written individual agreement. In case an individual agreement is concluded only the terms and conditions of the respective agreement shall apply. NXP Semiconductors hereby expressly objects to applying the customer's general terms and conditions with regard to the purchase of NXP Semiconductors products by customer.

Export control — This document as well as the item(s) described herein may be subject to export control regulations. Export might require a prior authorization from competent authorities.

Suitability for use in non-automotive qualified products — Unless this document expressly states that this specific NXP Semiconductors product is automotive qualified, the product is not suitable for automotive use. It is neither qualified nor tested in accordance with automotive testing or application requirements. NXP Semiconductors accepts no liability for inclusion and/or use of non-automotive qualified products in automotive equipment or applications.

In the event that customer uses the product for design-in and use in automotive applications to automotive specifications and standards, customer (a) shall use the product without NXP Semiconductors' warranty of the product for such automotive applications, use and specifications, and (b) whenever customer uses the product for automotive applications beyond NXP Semiconductors' specifications such use shall be solely at customer's own risk, and (c) customer fully indemnifies NXP Semiconductors for any liability, damages or failed product claims resulting from customer design and use of the product for automotive applications beyond NXP Semiconductors' standard warranty and NXP Semiconductors' product specifications.

HTML publications — An HTML version, if available, of this document is provided as a courtesy. Definitive information is contained in the applicable document in PDF format. If there is a discrepancy between the HTML document and the PDF document, the PDF document has priority.

Translations — A non-English (translated) version of a document, including the legal information in that document, is for reference only. The English version shall prevail in case of any discrepancy between the translated and English versions.

Security — Customer understands that all NXP products may be subject to unidentified vulnerabilities or may support established security standards or specifications with known limitations. Customer is responsible for the design and operation of its applications and products throughout their lifecycles to reduce the effect of these vulnerabilities on customer's applications and products. Customer's responsibility also extends to other open and/or proprietary technologies supported by NXP products for use in customer's applications. NXP accepts no liability for any vulnerability. Customer should regularly check security updates from NXP and follow up appropriately. Customer shall select products with security features that best meet rules, regulations, and standards of the intended application and make the ultimate design decisions regarding its products and is solely responsible for compliance with all legal, regulatory, and security related requirements concerning its products, regardless of any information or support that may be provided by NXP.

NXP has a Product Security Incident Response Team (PSIRT) (reachable at PSIRT@nxp.com) that manages the investigation, reporting, and solution release to security vulnerabilities of NXP products.

NXP B.V. — NXP B.V. is not an operating company and it does not distribute or sell products.

Trademarks

Notice: All referenced brands, product names, service names, and trademarks are the property of their respective owners.

NXP — wordmark and logo are trademarks of NXP B.V.

AN13681

All information provided in this document is subject to legal disclaimers.

© 2025 NXP B.V. All rights reserved.

Wi-Fi Alliance Derivative Certification Process for RW61x

Amazon Web Services, AWS, the Powered by AWS logo, and FreeRTOS

— are trademarks of Amazon.com, Inc. or its affiliates.

Wi-Fi Alliance Derivative Certification Process for RW61x

Tables

Tab. 1.	Abbreviations11	Tab. 2.	Revision history	12
Figur	res			
Fig. 1.	Certification process4	Fig. 5.	CID option for RW612-based products	7
Fig. 2.	Derivative certification process5	Fig. 6.	Product information page on Wi-Fi Alliance	
Fig. 3.	Initial page for members on Wi-Fi Alliance		website	8
-	website6	Fig. 7.	Wi-Fi Alliance Terms and Agreements web	
Fig. 4.	The New Application tab on Wi-Fi Alliance	· ·	page	9
•	website7		. •	

Wi-Fi Alliance Derivative Certification Process for RW61x

Contents

1	About this document	2
2	Wi-Fi certification program	
2.1	Certificate qualification	
2.2	Roles and responsibilities	
2.3	Certification process	4
3	Derivative certification	5
3.1	Derivative certification process	5
4	Step by step procedure	6
4.1	Sign in on Wi-Fi Alliance website and start	
	a new application	6
4.2	Fill in the product information	8
4.3	Submit the application	9
5	Obligations and outcomes for derivative	
	certifications	10
6	Abbreviations	11
7	References	11
8	Revision history	
	Legal information	13

Please be aware that important notices concerning this document and the product(s) described herein, have been included in section 'Legal information'.