





© NXP SEMICONDUCTORS N.V. ALL RIGHTS RESERVED	MECHANICAL OUTLINE		PRINT VERSION NOT TO SCALE	
TITLE: 20LD SOIC WIDE BODY PMCM CAVITY UP WITH FILTER CAP	DOCUMENT NO: 98ASA10701D		REV: C	
	STANDARD: NON-JEDEC			
	SOT1692-1		10 MAR 2016	



SECTION B-B

© NXP SEMICONDUCTORS N.V. ALL RIGHTS RESERVED	MECHANICAL OUTLINE	PRINT VERSION NOT TO SCALE	
TITLE: 20LD SOIC WIDE BODY PMCM CAVITY UP WITH FILTER CAP		DOCUMENT NO: 98ASA10701D	REV: C
		STANDARD: NON-JEDEC	
		SOT1692-1	10 MAR 2016



NOTES:

1. ALL DIMENSIONS ARE IN MILLIMETERS.

2. DIMENSIONING AND TOLERANCING PER ASME Y14.5M–1994.

3. THIS DIMENSION DOES NOT INCLUDE MOLD FLASH, PROTRUSIONS. MOLD FLASH OR PROTRUSIONS SHALL NOT EXCEED 0.15MM PER SIDE.

4. THIS DIMENSION DOES NOT INCLUDE DAMBAR PROTRUSION. PROTRUSIONS SHALL NOT CAUSE THE LEAD WIDTH TO EXCEED 0.75MM.

© NXP SEMICONDUCTORS N.V. ALL RIGHTS RESERVED	MECHANICAL OUTLINE	PRINT VERSION NOT TO SCALE
TITLE: 20LD SOIC WIDE BODY PMCM CAVITY UP WITH FILTER CAP	DOCUMENT NO: 98ASA10701D	REV: C
	STANDARD: NON–JEDEC	
	SOT1692–1	10 MAR 2016