

plastic thermal enhanced low profile quad flat package; 176 leads; body 24 mm x 24 mm x 1.4 mm; exposed die pad

1 June 2018 Package information

1. Package summary

Terminal position code Q (quad)

Package type descriptive code HLQFP176

Package type industry code HLQFP176

Package style descriptive code HLQFP (thermal enhanced low profile quad flat

package)

Package body material type P (plastic)

JEDEC package outline code MS-026

Mounting method type S (surface mount)

Issue date13-6-2002Manufacturer package codeSOT766


Table 1. Package summary

Table 1.1 ackage callinary							
Parameter		Min	Nom	Max	Unit		
package length		23.9	24	24.1	mm		
package width		23.9	24	24.1	mm		
seated height		-	-	1.6	mm		
package height		1.35	1.4	1.45	mm		
nominal pitch		-	0.5	-	mm		
actual quantity of termination		-	176	-	A/A		




plastic thermal enhanced low profile quad flat package; 176 leads; body 24 mm x 24 mm x 1.4 mm; exposed die pad

2. Package outline



plastic thermal enhanced low profile quad flat package; 176 leads; body 24 mm x 24 mm x 1.4 mm; exposed die pad

3. Soldering



plastic thermal enhanced low profile quad flat package; 176 leads; body 24 mm x 24 mm x 1.4 mm; exposed die pad

4. Legal information

Disclaimers

Limited warranty and liability — Information in this document is believed to be accurate and reliable. However, NXP Semiconductors does not give any representations or warranties, expressed or implied, as to the accuracy or completeness of such information and shall have no liability for the consequences of use of such information. NXP Semiconductors takes no responsibility for the content in this document if provided by an information source outside of NXP Semiconductors.

In no event shall NXP Semiconductors be liable for any indirect, incidental, punitive, special or consequential damages (including - without limitation - lost profits, lost savings, business interruption, costs related to the removal or replacement of any products or rework charges) whether or not such damages are based on tort (including negligence), warranty, breach of contract or any other legal theory.

Notwithstanding any damages that customer might incur for any reason whatsoever, NXP Semiconductors' aggregate and cumulative liability towards customer for the products described herein shall be limited in accordance with the *Terms and conditions of commercial sale* of NXP Semiconductors.

Right to make changes — NXP Semiconductors reserves the right to make changes to information published in this document, including without limitation specifications and product descriptions, at any time and without notice. This document supersedes and replaces all information supplied prior to the publication hereof.

plastic thermal enhanced low profile quad flat package; 176 leads; body 24 mm x 24 mm x 1.4 mm; exposed die pad

5. Contents

1.	Package summary	1
2.	Package outline	2
3.	Soldering	3
4.	Legal information	4

© NXP B.V. 2018. All rights reserved

For more information, please visit: http://www.nxp.com For sales office addresses, please send an email to: salesaddresses@nxp.com Date of release: 1 June 2018