

No.: ETR23B01980M01 Date: 17-Nov-2023 Page: 1 of 39

HD MICROSYSTEMS

250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By : HD MICROSYSTEMS
Sample Name : POLYIMIDE PRECURSOR

Style/Item No. : HD4100

\_\_\_\_\_\_

Sample Receiving Date

: 24-Oct-2023 and 10-Nov-2023

Testing Period : 24-Oct-2023 to 30-Oct-2023 and 10-Nov-2023 to 14-Nov-2023

Test Requested : (1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending

Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs,

DBP, BBP, DEHP, DIBP contents in the submitted sample(s).

(2) As specified by client, to test PAHs and other item(s).

Test Results :

Please refer to following pages.

**Conclusion** : (2) Based upon the performed tests on the submitted sample(s), the test results of PAHs

(15 items) comply with the limits of PAHs requirement (Category 1) as set by German

Committee on Product Safety (AfPS) GS PAHs.

Troy Chang / Department Makager
Signed for and on behalf of SGS TAIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: 68455A9A



No.: ETR23B01980M01 Date: 17-Nov-2023 Page: 2 of 39

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

#### **Test Part Description**

No.1 : TRANSPARENT BROWN GLUE - ETR23A04267 No.2 : TRANSPARENT BROWN GLUE - ETR23B01980

#### Test Result(s)

Test Item(s)	Method	Unit	MDL	Res	sult	Limit
				No.1	No.2	
Cadmium (Cd)	With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.	mg/kg	2	n.d.		-
Lead (Pb)	With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.	mg/kg	2	n.d.		-
Mercury (Hg)	With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.	mg/kg	2	n.d.		-
Hexavalent Chromium Cr(VI)	With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.	mg/kg	8	n.d.		-
Monobromobiphenyl		mg/kg	5	n.d.		-
Dibromobiphenyl		mg/kg	5	n.d.		-
Tribromobiphenyl		mg/kg	5	n.d.		-
Tetrabromobiphenyl		mg/kg	5	n.d.		-
Pentabromobiphenyl	With reference to IEC 62321-6: 2015,	mg/kg	5	n.d.		-
Hexabromobiphenyl	analysis was performed by GC/MS.	mg/kg	5	n.d.		-
Heptabromobiphenyl	unalysis was performed by Ge/Wis.	mg/kg	5	n.d.		-
Octabromobiphenyl		mg/kg	5	n.d.		-
Nonabromobiphenyl		mg/kg	5	n.d.		-
Decabromobiphenyl		mg/kg	5	n.d.		-
Sum of PBBs		mg/kg	-	n.d.		-
Monobromodiphenyl ether		mg/kg	5	n.d.		-
Dibromodiphenyl ether		mg/kg	5	n.d.		-
Tribromodiphenyl ether		mg/kg	5	n.d.		-
Tetrabromodiphenyl ether		mg/kg	5	n.d.		-
Pentabromodiphenyl ether	With reference to IEC 62321-6: 2015,	mg/kg	5	n.d.		-
Hexabromodiphenyl ether	analysis was performed by GC/MS.	mg/kg	5	n.d.		-
Heptabromodiphenyl ether	analysis was performed by GC/WIS.	mg/kg	5	n.d.		-
Octabromodiphenyl ether		mg/kg	5	n.d.		-
Nonabromodiphenyl ether		mg/kg	5	n.d.		-
Decabromodiphenyl ether		mg/kg	5	n.d.		-
Sum of PBDEs		mg/kg	-	n.d.		-



No.: ETR23B01980M01 Date: 17-Nov-2023

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Res	sult	Limit
				No.1	No.2	
Butyl benzyl phthalate (BBP)	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.		-
	analysis was performed by GC/MS.					
Dibutyl phthalate (DBP)	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.		-
	analysis was performed by GC/MS.					
Di-(2-ethylhexyl) phthalate (DEHP)	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.		-
	analysis was performed by GC/MS.					
Diisobutyl phthalate (DIBP)	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.		-
	analysis was performed by GC/MS.					
Diisodecyl phthalate (DIDP) (CAS	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.		-
No.: 26761-40-0, 68515-49-1)	analysis was performed by GC/MS.					
Diisononyl phthalate (DINP) (CAS	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.		-
No.: 28553-12-0, 68515-48-0)	analysis was performed by GC/MS.					
Di-n-octyl phthalate (DNOP) (CAS	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.		-
No.: 117-84-0)	analysis was performed by GC/MS.					
Di-n-pentyl phthalate (DNPP) (CAS	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.		-
No.: 131-18-0)	analysis was performed by GC/MS.					
Di-n-hexyl phthalate (DNHP) (CAS	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.		-
No.: 84-75-3)	analysis was performed by GC/MS.					
Bis(2-methoxyethyl) phthalate	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.		-
(DMEP) (CAS No.: 117-82-8)	analysis was performed by GC/MS.					
Hexabromocyclododecane (HBCDD)	With reference to IEC 62321: 2008,	mg/kg	5	n.d.		-
and all major diastereoisomers	analysis was performed by GC/MS.					
identified ( $\alpha$ - HBCDD, $\beta$ - HBCDD, $\gamma$ -						
HBCDD) (CAS No.: 25637-99-4,						
3194-55-6 (134237-51-7, 134237-						
50-6, 134237-52-8))						
Fluorine (F) (CAS No.: 14762-94-8)	With reference to BS EN 14582: 2016,	mg/kg	50	147		-
	analysis was performed by IC.					
Chlorine (Cl) (CAS No.: 22537-15-1)	With reference to BS EN 14582: 2016,	mg/kg	50	n.d.		-
	analysis was performed by IC.					
Bromine (Br) (CAS No.: 10097-32-2)	With reference to BS EN 14582: 2016,	mg/kg	50	n.d.		-
	analysis was performed by IC.					
lodine (I) (CAS No.: 14362-44-8)	With reference to BS EN 14582: 2016,	mg/kg	50	n.d.		-
	analysis was performed by IC.					

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 3 of 39



No.: ETR23B01980M01 Date: 17-Nov-2023

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result		Limit
				No.1	No.2	
PFOS and its salts (CAS No.: 1763-	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.		-
23-1 and its salts)	analysis was performed by LC/MS/MS.					
PFOA and its salts (CAS No.: 335-67-	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.		-
1 and its salts)	analysis was performed by LC/MS/MS.					
Bisphenol A (CAS No.: 80-05-7)	With reference to RSTS-CHEM-239-1,	mg/kg	1	n.d.		-
	analysis was performed by LC/MS/MS.					
Polychlorinated biphenyls (PCBs)	With reference to US EPA 3550C: 2007,	mg/kg	0.5	n.d.		-
	analysis was performed by GC/MS.					
Polychlorinated naphthalene (PCNs)	With reference to US EPA 3550C: 2007,	mg/kg	5	n.d.		-
	analysis was performed by GC/MS.					
Polychlorinated terphenyls (PCTs)	With reference to US EPA 3550C: 2007,	mg/kg	0.5	n.d.		-
	analysis was performed by GC/MS.					
Short Chain Chlorinated	With reference to ISO 18219-1: 2021,	mg/kg	50	n.d.		-
Paraffins(C10-C13) (SCCP) (CAS No.:	analysis was performed by GC/MS.					
85535-84-8)						
AZO Dyes						
4-aminodiphenyl (CAS No.: 92-67-1)	With reference to EN ISO 14362-1:	mg/kg	3	n.d.		-
	2017, analysis was performed by					
	GC/MS and HPLC/DAD.					
Benzidine (CAS No.: 92-87-5)	With reference to EN ISO 14362-1:	mg/kg	3	n.d.		-
	2017, analysis was performed by					
	GC/MS and HPLC/DAD.					
4-chloro-o-toluidine (CAS No.: 95-	With reference to EN ISO 14362-1:	mg/kg	3	n.d.		-
69-2)	2017, analysis was performed by					
	GC/MS and HPLC/DAD.					
2-naphthylamine (CAS No.: 91-59-8)	With reference to EN ISO 14362-1:	mg/kg	3	n.d.		-
	2017, analysis was performed by	3 3				
	GC/MS and HPLC/DAD.					
o-aminoazotoluene (CAS No.: 97-56-	With reference to EN ISO 14362-1:	mg/kg	3	n.d.		-
3)	2017, analysis was performed by	J. J.				
	GC/MS and HPLC/DAD.					
5-nitro-o-toluidine (CAS No.: 99-55-	With reference to EN ISO 14362-1:	mg/kg	3	n.d.		-
8)	2017, analysis was performed by	J. J.				
	GC/MS and HPLC/DAD.					

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 4 of 39



No.: ETR23B01980M01 Date: 17-Nov-2023 Page: 5 of 39

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Res	sult	Limit
				No.1	No.2	
4-chloroaniline (CAS No.: 106-47-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.		-
2,4-diaminoanisole (CAS No.: 615-05-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.		1
4,4'-diaminodiphenylmethane (MDA) (CAS No.: 101-77-9)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.		ı
3,3'-dichlorobenzidine (CAS No.: 91-94-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.		-
3,3'-dimethoxybenzidine (CAS No.: 119-90-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.		ı
3,3'-dimethylbenzidine (CAS No.: 119-93-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.		-
3,3'-dimethyl-4,4'- diaminodiphenylmethane (CAS No.: 838-88-0)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.		-
2-methoxy-5-methylaniline (CAS No.: 120-71-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.		-
4,4'-methylene-bis-(2-chloroaniline) (CAS No.: 101-14-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.		-
4,4'-oxydianiline (CAS No.: 101-80-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.		-
4,4'-thiodianiline (CAS No.: 139-65-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.		-
o-toluidine (CAS No.: 95-53-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.		-



No.: ETR23B01980M01 Date: 17-Nov-2023 Page: 6 of 39

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Res	ult	Limit
				No.1	No.2	
2,4-diaminotoluene (CAS No.: 95-80-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.		-
2,4,5-trimethylaniline (CAS No.: 137-17-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.		-
o-anisidine (CAS No.: 90-04-0)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.		-
4-aminoazobenzene (CAS No.: 60-09-3)	With reference to EN ISO 14362-1: 2017 or/and EN ISO 14362-3: 2017, analysis was performed by GC/MS & HPLC/DAD.	mg/kg	3	n.d.		-
2,4-xylidine (CAS No.: 95-68-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.		-
2,6-xylidine (CAS No.: 87-62-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.		-
Polyvinyl chloride (PVC)	With reference to ASTM E1252: 2021, analysis was performed by FT-IR and Flame Test.	**	-	Negative		-
Asbestos						
Actinolite (CAS No.: 77536-66-4)	With reference to EPA 600/R-93/116:	-	ı	Negative		-
Amosite (CAS No.: 12172-73-5)	1993, analysis was performed by	-	ı	Negative		-
Anthophyllite (CAS No.: 77536-67-5)	Stereo Microscope (SM), Dispersion	-	ı	Negative		-
Chrysotile (CAS No.: 12001-29-5)	Staining Polarized Light Microscope	-	ı	Negative		-
Crocidolite (CAS No.: 12001-28-4)	(DS-PLM) and X-ray Diffraction	_	-	Negative		-
Tremolite (CAS No.: 77536-68-6)	Spectrometer (XRD).	-	ı	Negative		-
Formaldehyde (CAS No.: 50-00-0)	With reference to ISO 17226-1: 2021, analysis was performed by LC/DAD.	mg/kg	3	n.d.		-



No.: ETR23B01980M01 Date: 17-Nov-2023 Page: 7 of 39

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Res	sult	Limit
				No.1	No.2	
Chlorofluorocarbons (CFCs)						
CFC-13 (CAS No.: 75-72-9)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
CFC-111 (CAS No.: 354-56-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
CFC-112 (CAS No.: 76-12-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
CFC-211 (CAS No.: 422-78-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
CFC-212 (CAS No.: 3182-26-1)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
CFC-213 (CAS No.: 2354-06-5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
CFC-214 (CAS No.: 29255-31-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
CFC-215 (CAS No.: 4259-43-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
CFC-216 (CAS No.: 661-97-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
CFC-217 (CAS No.: 422-86-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
CFC-12 (CAS No.: 75-71-8)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
CFC-11 (CAS No.: 75-69-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
CFC-115 (CAS No.: 76-15-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.	3 3				
CFC-114 (CAS No.: 76-14-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
,	analysis was performed by GC/MS.					
CFC-113 (CAS No.: 76-13-1)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					



No.: ETR23B01980M01 Date: 17-Nov-2023

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	- Result		Limit
				No.1	No.2	
Hydrochlorofluorocarbons (HCFCs)						
HCFC-21 (CAS No.: 75-43-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-22 (CAS No.: 75-45-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-31 (CAS No.: 593-70-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		_
	analysis was performed by GC/MS.					
HCFC-121 (CAS No.: 354-14-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-122 (CAS No.: 354-21-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
,	analysis was performed by GC/MS.					
HCFC-123 (CAS No.: 306-83-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-124 (CAS No.: 2837-89-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-131 (CAS No.: 359-28-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-132b (CAS No.: 1649-08-7)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-133a (CAS No.: 75-88-7)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-142b (CAS No.: 75-68-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-221 (CAS No.: 422-26-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-222 (CAS No.: 422-49-1)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-223 (CAS No.: 422-52-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-224 (CAS No.: 422-54-8)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-225ca (CAS No.: 422-56-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
Ý	analysis was performed by GC/MS.					
HCFC-225cb (CAS No.: 507-55-1)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 8 of 39



No.: ETR23B01980M01 Date: 17-Nov-2023

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Res	sult	Limit
				No.1	No.2	
HCFC-226 (CAS No.: 431-87-8)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-231 (CAS No.: 421-94-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-232 (CAS No.: 460-89-9)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-233 (CAS No.: 7125-84-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-234 (CAS No.: 425-94-5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-235 (CAS No.: 460-92-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-241 (CAS No.: 666-27-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-242 (CAS No.: 460-63-9)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-244	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-251 (CAS No.: 421-41-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-252 (CAS No.: 819-00-1)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-261 (CAS No.: 420-97-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-262 (CAS No.: 421-02-03)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-271 (CAS No.: 430-55-7)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-141b (CAS No.: 1717-00-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-243 (CAS No.: 460-69-5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-253 (CAS No.: 460-35-5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-141	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 9 of 39



No.: ETR23B01980M01 Date: 17-Nov-2023 Page: 10 of 39

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Res	sult	Limit
				No.1	No.2	
HCFC-142	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-151	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HCFC-225	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
Halons						
Halon-1211 (CAS No.: 353-59-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
Halon-1301 (CAS No.: 75-63-8)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
Halon-2402 (CAS No.: 124-73-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
Methyl Bromide (CAS No.: 74-83-9)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
Hydrobromofluorocarbons (HBFCs)						
HBFC-271B1 (C3H6FBr)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-262B1 (C3H5F2Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-261B2 (C3H5FBr2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-253B1 (C3H4F3Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-252B2 (C3H4F2Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-251B3 (C3H4FBr3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-244B1 (C3H3F4Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-243B2 (C3H3F3Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-242B3 (C3H3F2Br3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-241B4 (C3H3FBr4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					



No.: ETR23B01980M01 Date: 17-Nov-2023 Page: 11 of 39

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Res	sult	Limit
				No.1	No.2	
HBFC-235B1 (C3H2F5Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-234B2 (C3H2F4Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-233B3 (C3H2F3Br3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-232B4 (C3H2F2Br4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-231B5 (C3H2FBr5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-226B1 (C3HF6Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-225B2 (C3HF5Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-224B3 (C3HF4Br3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-223B4 (C3HF3Br4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-222B5 (C3HF2Br5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-221B6 (C3HFBr6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-151B1 (C2H4FBr)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-142B1 (C2H3F2Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-141B2 (C2H3FBr2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-133B1 (C2H2F3Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-132B2 (C2H2F2Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-131B3 (C2H2FBr3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-124B1 (C2HF4Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.	_				



No.: ETR23B01980M01 Date: 17-Nov-2023 Page: 12 of 39

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Res	sult	Limit
				No.1	No.2	
HBFC-123B2 (C2HF3Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-122B3 (C2HF2Br3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-121B4 (C2HFBr4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HBFC-31B1 (CH2FBr) (CAS No.: 373-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
52-4)	analysis was performed by GC/MS.					
HBFC-22B1 (CHF2Br) (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
1511-62-2)	analysis was performed by GC/MS.					
HBFC-21B2 (CHFBr2) (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
1868-53-7)	analysis was performed by GC/MS.					
Chlorinate hydrocarbon (CHCs)						
1,1-Dichloropropene (CAS No.: 563-	With reference to US EPA 5021A: 2014,	mg/kg	1		n.d.	-
58-6)	analysis was performed by GC/MS.					
1,2-Dichloroethane (CAS No.: 107-	With reference to US EPA 5021A: 2014,	mg/kg	1		n.d.	-
06-2)	analysis was performed by GC/MS.					
2,2-Dichloropropane (CAS No.: 594-	With reference to US EPA 5021A: 2014,	mg/kg	1		n.d.	-
20-7)	analysis was performed by GC/MS.					
Carbon tetrachloride (CAS No.: 56-	With reference to US EPA 5021A: 2014,	mg/kg	1		n.d.	-
23-5)	analysis was performed by GC/MS.					
Chloromethane (CAS No.: 74-87-3)	With reference to US EPA 5021A: 2014,	mg/kg	1		n.d.	-
	analysis was performed by GC/MS.					
cis-1,2-Dichloroethene (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1		n.d.	-
156-59-2)	analysis was performed by GC/MS.					
cis-1,3-Dichloropropene (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1		n.d.	-
10061-01-5)	analysis was performed by GC/MS.					
Hexachlorobutadiene (CAS No.: 87-	With reference to US EPA 5021A: 2014,	mg/kg	1		n.d.	-
68-3)	analysis was performed by GC/MS.					
trans-1,2-Dichloroethene (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1		n.d.	-
156-60-5)	analysis was performed by GC/MS.					
trans-1,3-Dichloropropene (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1		n.d.	-
10061-02-6)	analysis was performed by GC/MS.					
Dichloromethane, Methylene	With reference to US EPA 5021A: 2014,	mg/kg	1		n.d.	-
chloride (CAS No.: 75-09-2)	analysis was performed by GC/MS.					



No.: ETR23B01980M01 Date: 17-Nov-2023 Page: 13 of 39

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result		Limit
				No.1	No.2	
1,2-Dichloropropane (CAS No.: 78-	With reference to US EPA 5021A: 2014,	mg/kg	1		n.d.	-
87-5)	analysis was performed by GC/MS.					
1,1,1,2-Tetrachloroethane (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1		n.d.	-
630-20-6)	analysis was performed by GC/MS.					
1,1,1-Trichloroethane (CAS No.: 71-	With reference to US EPA 5021A: 2014,	mg/kg	1		n.d.	-
55-6)	analysis was performed by GC/MS.					
1,1,2-Trichloroethane (CAS No.: 79-	With reference to US EPA 5021A: 2014,	mg/kg	1		n.d.	-
00-5)	analysis was performed by GC/MS.					
1,1,2,2-Tetrachloroethane (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1		n.d.	-
79-34-5)	analysis was performed by GC/MS.					
1,1-Dichloroethylene (CAS No.: 75-	With reference to US EPA 5021A: 2014,	mg/kg	1		n.d.	-
35-4)	analysis was performed by GC/MS.					
1,1-Dichloroethane (CAS No.: 75-34-	With reference to US EPA 5021A: 2014,	mg/kg	1		n.d.	-
3)	analysis was performed by GC/MS.					
Chloroethane (CAS No.: 75-00-3)	With reference to US EPA 5021A: 2014,	mg/kg	1		n.d.	-
	analysis was performed by GC/MS.					
Tetrachloroethene (CAS No.: 127-18-	With reference to US EPA 5021A: 2014,	mg/kg	1		n.d.	-
4)	analysis was performed by GC/MS.					
Trichloroethylene (CAS No.: 79-01-6)	With reference to US EPA 5021A: 2014,	mg/kg	1		n.d.	-
	analysis was performed by GC/MS.					
1,3-Dichloropropane (CAS No.: 142-	With reference to US EPA 5021A: 2014,	mg/kg	1		n.d.	-
28-9)	analysis was performed by GC/MS.					
Chloroform (CAS No.: 67-66-3)	With reference to US EPA 5021A: 2014,	mg/kg	1		n.d.	-
	analysis was performed by GC/MS.					
1,2,3-Trichloropropane (CAS No.: 96-	With reference to US EPA 5021A: 2014,	mg/kg	1		n.d.	-
18-4)	analysis was performed by GC/MS.					
Hydrofluorocarbon (HFCs)						
HFC-23 (CHF3) (CAS No.: 75-46-7)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HFC-32 (CH2F2) (CAS No.: 75-10-5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HFC-41 (CH3F) (CAS No.: 593-53-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HFC-43-10mee (C5H2F10)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					



No.: ETR23B01980M01 Date: 17-Nov-2023 Page: 14 of 39

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method		MDL	Result		Limit
				No.1	No.2	
HFC-125 (C2HF5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HFC-134 (C2H2F4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HFC-134a (CH2FCF3) (CAS No.: 811-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
97-2)	analysis was performed by GC/MS.					
HFC-143 (CH3F3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.	3 3				
HFC-143a (CH3F3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.	3 3				
HFC-152a (C2H4F2) (CAS No.: 75-37-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
6)	analysis was performed by GC/MS.	3 3				
HFC-227ea (C3HF7) (CAS No.: 431-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
89-0)	analysis was performed by GC/MS.	3 3				
HFC-236fa (CAS No.: 431-63-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
, ,	analysis was performed by GC/MS.	J. J				
HFC-245ca (C3H3F5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.	3 3				
HFC-245fa (C3H3F5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
HFC-365mfc (C4H5F5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.	3 3				
HFC-236ea (C3H2F6) (CAS No.: 431-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
63-0)	analysis was performed by GC/MS.	3 3				
Perfluorocarbon (PFCs)						
1,4-dihydrooctafluorobutane (CAS	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
No.: 377-36-6)	analysis was performed by GC/MS.	3 3				
2-Perfluoromethylpentane (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
355-04-4)	analysis was performed by GC/MS.					
Decafluorobutane (CAS No.: 355-25-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
9)	analysis was performed by GC/MS.					
F14 (CAS No.: 75-73-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
,	analysis was performed by GC/MS.	J. J.				
Fluorocarbon 116 (CAS No.: 76-16-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
,	analysis was performed by GC/MS.	J. J.				



No.: ETR23B01980M01 Date: 17-Nov-2023 Page: 15 of 39

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result		Limit
				No.1	No.2	
Freon 218 (CAS No.: 76-19-7)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
Freon C318 (CAS No.: 115-25-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
Nonafluor-2-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
(trifluoromethyl)butane (CAS No.:	analysis was performed by GC/MS.					
594-91-2)						
Perfluorisobutene (CAS No.: 382-21-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
8)	analysis was performed by GC/MS.					
Perfluorohexane (CAS No.: 355-42-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
	analysis was performed by GC/MS.					
Perfluoro-n-pentane (CAS No.: 678-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
26-2)	analysis was performed by GC/MS.					
Perfluor-1-butene (CAS No.: 357-26-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
6)	analysis was performed by GC/MS.					
Tributyl tin (TBT)	With reference to ISO 17353: 2004,	mg/kg	0.03	n.d.		-
	analysis was performed by GC/FPD.					
Bis(tributyltin) oxide (TBTO) (CAS	Calculated from the result of Tributyl	mg/kg	0.03 🛦	n.d.		-
No.: 56-35-9)	Tin (TBT).					
Triphenyl tin (TPT)	With reference to ISO 17353: 2004,	mg/kg	0.03	n.d.		-
	analysis was performed by GC/FPD.	3 3				
Dibutyl tin (DBT)	With reference to ISO 17353: 2004,	mg/kg	0.03	n.d.		-
	analysis was performed by GC/FPD.	3 3				
Dioctyl tin (DOT)	With reference to ISO 17353: 2004,	mg/kg	0.03	n.d.		-
	analysis was performed by GC/FPD.	3 3				
2-benzotriazol-2-yl-4,6-di-tert-	With reference to US EPA 3550C: 2007,	mg/kg	5	n.d.		-
butylphenol (UV-320) (CAS No.:	analysis was performed by GC/MS.	3 3				
3846-71-7)						
Phosphine (CAS No.: 7803-51-2)	Analysis was performed by gas	ppmV	0.08	n.d.		-
, ,	detector tube. (Test Condition: 40°C, 30					
	mins)					
Benzene (CAS No.: 71-43-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.		-
, ,	analysis was performed by GC/MS.	J. J.				
Toluene (CAS No.: 108-88-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	2.19		-
,	analysis was performed by GC/MS.					



No.: ETR23B01980M01 Date: 17-Nov-2023 Page: 16 of 39

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Res	sult	Limit
				No.1	No.2	
Sulfur(S) (CAS No.: 7704-34-9)	Analysis was performed by Element	% (w/w)	0.1	n.d.		-
	Analyzer.					
Arsenic (As) (CAS No.: 7440-38-2)	With reference to US EPA 3052: 1996,	mg/kg	2	n.d.		-
	analysis was performed by ICP-OES.					
Beryllium (Be) (CAS No.: 7440-41-7)	With reference to US EPA 3052: 1996,	mg/kg	2	n.d.		-
	analysis was performed by ICP-OES.					
Antimony (Sb) (CAS No.: 7440-36-0)	With reference to US EPA 3052: 1996,	mg/kg	2	n.d.		-
	analysis was performed by ICP-OES.					
Cobalt dichloride (CoCl <sub>2</sub> ) (CAS No.:	With reference to RSTS-EE-SVHC-007,	mg/kg	50 ▲	n.d.		-
7646-79-9)	analysis was performed by ICP-OES, IC.					
	Calculated from the results of Cobalt,					
	Chlorine.					
Polycyclic Aromatic Hydrocarbons						
(PAHs)						
Benzo[a]pyrene (CAS No.: 50-32-8)		mg/kg	0.2	n.d.		Δ
Benzo[e]pyrene (CAS No.: 192-97-2)		mg/kg	0.2	n.d.		Δ
Benzo[a]anthracene (CAS No.: 56-		mg/kg	0.2	n.d.		Δ
55-3)						
Benzo[b]fluoranthene (CAS No.: 205-		mg/kg	0.2	n.d.		Δ
99-2)						
Benzo[j]fluoranthene (CAS No.: 205-		mg/kg	0.2	n.d.		Δ
82-3)		/	0.0			
Benzo[k]fluoranthene (CAS No.: 207-		mg/kg	0.2	n.d.		Δ
08-9) Chrysene (CAS No.: 218-01-9)	With reference to AfPS GS 2019:01	ma/ka	0.2	n.d.		Δ
Dibenzo[a,h]anthracene (CAS No.:	PAK, analysis was performed by	mg/kg mg/kg	0.2	n.d.		Δ
53-70-3)	GC/MS.	ilig/kg	0.2	11.0.		Δ
Benzo[g,h,i]perylene (CAS No.: 191-	1967 W.S.	mg/kg	0.2	n.d.		Δ
24-2)		1119/119	0.2	11.0.		_
Indeno[1,2,3-c,d]pyrene (CAS No.:		mg/kg	0.2	n.d.		Δ
193-39-5)		J, 3				
Anthracene (CAS No.: 120-12-7)		mg/kg	0.2	n.d.		Δ
Fluoranthene (CAS No.: 206-44-0)		mg/kg	0.2	n.d.		Δ
Phenanthrene (CAS No.: 85-01-8)		mg/kg	0.2	n.d.		Δ
Pyrene (CAS No.: 129-00-0)		mg/kg	0.2	n.d.		Δ
Naphthalene (CAS No.: 91-20-3)		mg/kg	0.2	n.d.		Δ
Sum of 15 PAHs		mg/kg	-	n.d.		Δ



No.: ETR23B01980M01 Date: 17-Nov-2023 Page: 17 of 39

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

(CAS No.: 115-96-8) analysis w	ence to US EPA 3550C: 2007,			Nic 1		
(CAS No.: 115-96-8) analysis w	ence to US FPA 3550C: 2007			No.1	No.2	
,	chec to 05 Li / (5550c. 2007,	mg/kg	5	n.d.		-
	as performed by GC/MS.					
Tris(1,3-dichloro-2-propyl) With refer	ence to US EPA 3550C: 2007,	mg/kg	5	n.d.		-
phosphate (CAS No.: 13674-87-8) analysis w	as performed by GC/MS.					
Tris(1-chloro-2-propyl) phosphate With refer	ence to US EPA 3550C: 2007,	mg/kg	5	n.d.		-
(TCPP) (CAS No.: 13674-84-5) analysis w	as performed by GC/MS.					
Triphenyl phosphate (CAS No.: 115- With refer	ence to US EPA 3550C: 2007,	mg/kg	5	n.d.		-
86-6) analysis w	as performed by GC/MS.					
Trixylyl phosphate (CAS No.: 25155- With refer	ence to US EPA 3550C: 2007,	mg/kg	25	n.d.		-
23-1) analysis w	as performed by GC/MS.					
2,2-Bis(chloromethyl) trimethylene With refer	ence to US EPA 3550C: 2007,	mg/kg	25	n.d.		-
bis(bis(2-chloroethyl) phosphate) analysis w	as performed by GC/MS.					
(CAS No.: 38051-10-4)						
Tris(4-tert-butylphenyl) phosphate With refer	ence to US EPA 3550C: 2007,	mg/kg	5	n.d.		-
(CAS No.: 78-33-1, 28777-70-0) analysis w	as performed by GC/MS.					
4-(tert-butyl) phenyl diphenyl With refer	ence to US EPA 3550C: 2007,	mg/kg	5	n.d.		-
phosphate (CAS No.: 56803-37-3) analysis w	as performed by GC/MS.					
Bis(tert-butylphenyl) phenyl With refer	ence to US EPA 3550C: 2007,	mg/kg	5	n.d.		-
phosphate (DBPP) (CAS No.: 65652- analysis w	as performed by GC/MS.					
41-7)						
Tributyl phosphate (TBP) (CAS No.: With refer	ence to US EPA 3550C: 2007,	mg/kg	5	n.d.		-
126-73-8) analysis w	as performed by GC/MS.	3 3				
Trimethyl phosphate (CAS No.: 512- With refer	ence to US EPA 3550C: 2007,	mg/kg	5	n.d.		-
	as performed by GC/MS.	3 3				
Tris-(1-aziridinyl) phosphine oxide With refer	ence to US EPA 3550C: 2007,	mg/kg	5	n.d.		-
· · · · · · · · · · · · · · · · · · ·	as performed by GC/MS.	3 3				
Tricresyl phosphate and isomers With refer	ence to US EPA 3550C: 2007,	mg/kg	5	n.d.		-
(CAS No.: 1330-78-5) analysis w	as performed by GC/MS.	3 3				
Tri-o-tolyphosphate (CAS No.: 78- With refer	ence to US EPA 3550C: 2007,	mg/kg	5	n.d.		-
	as performed by GC/MS.	J. J				
	ence to US EPA 3550C: 2007,	mg/kg	5	n.d.		-
	as performed by GC/MS.	<i>J, J</i>				
,	ence to US EPA 3550C: 2007,	mg/kg	5	n.d.		-
1 13/1 1	as performed by GC/MS.	J, J				
	ence to US EPA 3550C: 2007,	mg/kg	5	n.d.		-
, , , , , , , , , , , , , , , , , , , ,	as performed by GC/MS.	J. J				



No.: ETR23B01980M01 Date: 17-Nov-2023 Page: 18 of 39

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method Ur		MDL	Result		Limit
				No.1	No.2	
Tri-m-tolyphosphate (CAS No.: 563-	With reference to US EPA 3550C: 2007,	mg/kg	5	n.d.		-
04-2)	analysis was performed by GC/MS.					
Tri-p-tolyphosphate (CAS No.: 78-	With reference to US EPA 3550C: 2007,	mg/kg	5	n.d.		-
32-0)	analysis was performed by GC/MS.					
Tris(2-butoxyethyl) phosphate (CAS	With reference to US EPA 3550C: 2007,	mg/kg	5	n.d.		-
No.: 78-51-3)	analysis was performed by GC/MS.					

#### Note:

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected (Less than MDL)
- 4. "-" = Not Regulated
- 5. \*\*= Qualitative analysis (No Unit)
- 6. Negative = Undetectable; Positive = Detectable
- 7. Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".
- 8. ▲ : The MDL was evaluated for element / tested substance.

Conversion Formula :  $AX = A \times F$ 

AX	Α	F
Bis(tributyltin)oxide (TBTO)	Tributyl Tin	1.0276

Parameter Conversion Table: https://eecloud.sgs.com/Region TW/DocDownload.aspx?name=Others

- 9. ppmV = Part Per Million by Volume
- 10. Tedlar bag size / Sampling Volume:

Phosphine	5L/0.5L

- 11. Gas detecting tube test can be interfered by certain substances especially; Phosphine Arsine, etc.
- 12. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.
- 13. This report is combined with reports of ETR23A04267 and ETR23B01980.



No.: ETR23B01980M01 Date: 17-Nov-2023 Page: 19 of 39

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

#### PAHs Remark:

#### △ AfPS (German commission for Product Safety): GS PAHs requirements

	Category 1	Category 2		Cate	gory 3
Parameter	be placed in the	placed in the buth, or materials in foreseeable long-term skin contact (> 30 seconds) or short-term repetitive contact with the skin.			covered by 2, with oreseeable n contact (≦30
	term skin contact (> 30 seconds).	a. Use by children under 14	b. Other consumer products	Use by children	b. Other consumer products
Naphthalene	< 1	< 2		< 10	
Phenanthrene					
Anthracene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Fluoranthene	\ I Suili	\ 3 3dill	< 10 Julii	< 20 Julii	\ 30 3uiii
Pyrene					
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[b]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[j]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[k]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[e]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Indeno[1,2,3-c,d] pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenzo[a,h]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[g,h,i]perylene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Sum of 15 PAH	< 1	< 5	< 10	< 20	< 50

Unit: mg/kg



No.: ETR23B01980M01 Date: 17-Nov-2023 Page: 20 of 39

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

#### PFAS Remark:

The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.)

Classification of Substance Concentration	Substance Name	CAS No.
Perfluorooctane sulfonates and	Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
its salts (PFOS and its salts)	Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
(CAS No.: 1763-23-1 and its salts)	Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH <sub>4</sub> )	29081-56-9
	Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) <sub>2</sub> )	70225-14-8
	Perfluorooctanesulfonic acid, tetraethylammonium salt (PFOS-N( $C_2H_5$ ) <sub>4</sub> )	56773-42-3
	N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctane-1-sulfonate (PFOS-DDA)	251099-16-8
	Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
	Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4
	Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0
Perfluorooctanoic acid and its	Sodium perfluorooctanoate (PFOA-Na)	335-95-5
salts (PFOA and its salts)	Potassium perfluorooctanoate (PFOA-K)	2395-00-8
(CAS No.: 335-67-1 and its salts)	Silver perfluorooctanote (PFOA-Ag)	335-93-3
	Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	Lithium perfluorooctanoate (PFOA-Li)	17125-58-5




No.: ETR23B01980M01 Date: 17-Nov-2023

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

### Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.

(  $Cr^{6+}$  test method excluded )



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 21 of 39




No.: ETR23B01980M01 Date: 17-Nov-2023

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

#### Analytical flow chart - PBBs / PBDEs

First testing process \_\_\_\_ Optional screen process....

Confirmation process \_\_\_\_



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 22 of 39




No.: ETR23B01980M01 Date: 17-Nov-2023 Page: 23 of 39

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

#### Analytical flow chart - Phthalate

[Test method: IEC 62321-8]






No.: ETR23B01980M01 Date: 17-Nov-2023 Page: 24 of 39

HD MICROSYSTEMS
250 CHEESEOUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

#### Analytical flow chart - HBCDD






No.: ETR23B01980M01 Date: 17-Nov-2023

HD MICROSYSTEMS
250 CHEESEOUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

#### Analytical flow chart - Halogen



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 25 of 39



No.: ETR23B01980M01 Date: 17-Nov-2023

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

#### Analytical flow chart - PFAS (including PFOA/PFOS/its related compound, etc.)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 26 of 39



No.: ETR23B01980M01 Date: 17-Nov-2023

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

#### Analytical flow chart - Bisphenol A



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 27 of 39




No.: ETR23B01980M01 Date: 17-Nov-2023

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

#### Analytical flow chart

\* Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 28 of 39



No.: ETR23B01980M01 Date: 17-Nov-2023 Page: 29 of 39

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

#### Analysis flow chart - PVC






No.: ETR23B01980M01 Date: 17-Nov-2023

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

# Analysis flow chart for determination of Asbestos [Reference method: EPA 600/R-93/116]



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 30 of 39



No.: ETR23B01980M01 Date: 17-Nov-2023

HD MICROSYSTEMS
250 CHEESEOUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

#### Analytical flow chart - Formaldehyde



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 31 of 39




No.: ETR23B01980M01 Date: 17-Nov-2023

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

#### Analytical flow chart of volatile organic compounds (VOCs)

【Reference method: US EPA 5021A】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 32 of 39



No.: ETR23B01980M01 Date: 17-Nov-2023

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

#### Analytical flow chart - Organic-Tin



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 33 of 39



HD MICROSYSTEMS
250 CHEESEOUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

No.: ETR23B01980M01 Date: 17-Nov-2023 Page: 34 of 39

### Analytical flow chart - Elements analyzer






No.: ETR23B01980M01 Date: 17-Nov-2023

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

#### Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【Reference method: US EPA 3051A、US EPA 3052】



\* US EPA 3051A method does not add HF.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 35 of 39



No.: ETR23B01980M01 Date: 17-Nov-2023

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

#### Analytical flow chart - Cobalt dichloride



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 36 of 39



No.: ETR23B01980M01 Date: 17-Nov-2023

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

#### Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 37 of 39



No.: ETR23B01980M01 Date: 17-Nov-2023

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

### Analytical flow chart - Organic phosphorus compounds



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 38 of 39



No.: ETR23B01980M01 Date: 17-Nov-2023

HD MICROSYSTEMS
250 CHEESEOUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

\* The tested sample / part is marked by an arrow if it's shown on the photo. \*

No.1

### ETR23A04267



No.2

### ETR23B01980



#### \*\* End of Report \*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 39 of 39