

No.: ETR24B04936A01 Date: 13-Dec-2024

TSMC WASHINGTON.
5509 NW PARKER STREET, CAMAS, WA 98607, USA

The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By : TSMC WASHINGTON.

Sample Name : TSMC FAB 11 ALUMINUM 8" FINISHED WAFER

\_\_\_\_\_\_

Sample Receiving Date : 28-Nov-2024

Testing Period : 28-Nov-2024 to 13-Dec-2024

**Test Requested** : (1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending

Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs,

DBP, BBP, DEHP, DIBP contents in the submitted sample(s).

(2) As specified by client, to test PAHs and other item(s).

**Test Results**: Please refer to following pages.

Conclusion : (1) Based on the performed tests on submitted sample(s), the test results of Cadmium,

Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

(2) Based upon the performed tests on the submitted sample(s), the test results of PAHs (15 items) comply with the limits of PAHs requirement (Category 3) <sup>r</sup> Use by children

under 14 as set by German Committee on Product Safety (AfPS) GS PAHs.

Troy Chang / Department Malager
Signed for and on behalf of Alwah
SGS TAIWAN LTD.
Chemical Laboratory - Taipei



Page: 1 of 39

PIN CODE: E340CC92



No.: ETR24B04936A01 Date: 13-Dec-2024 Page: 2 of 39

TSMC WASHINGTON. 5509 NW PARKER STREET, CAMAS, WA 98607, USA

**Test Part Description** 

No.1 : WAFER

#### Test Result(s)

Test Item(s)	Method	Unit	MDL	Result	Limit
0.1.1.00	1454 6 4 450 60001 5 0010			No.1	100
Cadmium (Cd)	With reference to IEC 62321-5: 2013,	mg/kg	2	n.d.	100
1 (01)	analysis was performed by ICP-OES.				1000
Lead (Pb)	With reference to IEC 62321-5: 2013,	mg/kg	2	n.d.	1000
	analysis was performed by ICP-OES.				
Mercury (Hg)	With reference to IEC 62321-4: 2013+	mg/kg	2	n.d.	1000
	AMD1: 2017, analysis was performed by ICP-OES.				
Hexavalent Chromium Cr(VI)	With reference to IEC 62321-7-2: 2017,	mg/kg	8	n.d.	1000
	analysis was performed by UV-VIS.	9,9			
Monobromobiphenyl		mg/kg	5	n.d.	-
Dibromobiphenyl		mg/kg	5	n.d.	-
Tribromobiphenyl		mg/kg	5	n.d.	-
Tetrabromobiphenyl		mg/kg	5	n.d.	-
Pentabromobiphenyl		mg/kg	5	n.d.	-
Hexabromobiphenyl		mg/kg	5	n.d.	-
Heptabromobiphenyl		mg/kg	5	n.d.	-
Octabromobiphenyl		mg/kg	5	n.d.	-
Nonabromobiphenyl		mg/kg	5	n.d.	-
Decabromobiphenyl		mg/kg	5	n.d.	-
Sum of PBBs	With reference to IEC 62321-6: 2015,	mg/kg	-	n.d.	1000
Monobromodiphenyl ether	analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Dibromodiphenyl ether		mg/kg	5	n.d.	-
Tribromodiphenyl ether		mg/kg	5	n.d.	-
Tetrabromodiphenyl ether		mg/kg	5	n.d.	-
Pentabromodiphenyl ether		mg/kg	5	n.d.	-
Hexabromodiphenyl ether		mg/kg	5	n.d.	-
Heptabromodiphenyl ether		mg/kg	5	n.d.	-
Octabromodiphenyl ether		mg/kg	5	n.d.	-
Nonabromodiphenyl ether		mg/kg	5	n.d.	-
Decabromodiphenyl ether		mg/kg	5	n.d.	-
Sum of PBDEs		mg/kg	-	n.d.	1000



No.: ETR24B04936A01 Date: 13-Dec-2024 Page: 3 of 39

TSMC WASHINGTON.
5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Butyl benzyl phthalate (BBP)		mg/kg	50	n.d.	1000
Dibutyl phthalate (DBP)		mg/kg	50	n.d.	1000
Di-(2-ethylhexyl) phthalate (DEHP)		mg/kg	50	n.d.	1000
Diisobutyl phthalate (DIBP)		mg/kg	50	n.d.	1000
Diisodecyl phthalate (DIDP) (CAS	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
No.: 26761-40-0, 68515-49-1)	analysis was performed by GC/MS.				
Diisononyl phthalate (DINP) (CAS		mg/kg	50	n.d.	-
No.: 28553-12-0, 68515-48-0)					
Di-n-octyl phthalate (DNOP) (CAS		mg/kg	50	n.d.	-
No.: 117-84-0)					
Fluorine (F) (CAS No.: 14762-94-8)		mg/kg	50	n.d.	-
Chlorine (Cl) (CAS No.: 22537-15-1)	With reference to BS EN 14582: 2016,	mg/kg	50	n.d.	-
Bromine (Br) (CAS No.: 10097-32-2)	analysis was performed by IC.	mg/kg	50	n.d.	-
lodine (I) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	-
Polychlorinated biphenyls (PCBs)	With reference to US EPA 3550C: 2007,	mg/kg	0.5	n.d.	-
	analysis was performed by GC/MS.				
Perfluorooctane sulfonates and its	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
salts (PFOS and its salts) (CAS No.:	analysis was performed by LC/MS/MS.				
1763-23-1 and its salts)					
N-ethylperfluoro-1-	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
octanesulfonamide (EtFOSA) (CAS	analysis was performed by LC/MS/MS.				
No.: 4151-50-2)					
N-Methyl-	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
Perfluoroctanesulfonamide (N-Me-	analysis was performed by LC/MS/MS.				
FOSA) (CAS No.: 31506-32-8)					
N-Ethyl-	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
Perfluoroctanesulfonamidoethanol	analysis was performed by LC/MS/MS.				
(N-Et-FOSE alcohol) (CAS No.: 1691-					
99-2)					
N-Methyl-	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
Perfluoroctanesulfonamidoethanol	analysis was performed by LC/MS/MS.				
(N-Me-FOSE alcohol) (CAS No.:					
24448-09-7)	N. C		0.01		
Perfluoroctanesulfonamide and its	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
salts (PFOSA and its salts) (CAS No.:	analysis was performed by LC/MS/MS.				
754-91-6 and its salts)					



No.: ETR24B04936A01 Date: 13-Dec-2024 Page: 4 of 39

TSMC WASHINGTON.
5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Perfluorooctanoic acid and its salts	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
(PFOA and its salts) (CAS No.: 335-	analysis was performed by LC/MS/MS.				
67-1 and its salts)					
Methyl perfluorooctanoate (Me-	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
PFOA) (CAS No.: 376-27-2)	analysis was performed by GC/MS.				
Ethyl perfluorooctanoate (Et-PFOA)	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
(CAS No.: 3108-24-5)	analysis was performed by GC/MS.				
Perfluoro-1-iodooctane (PFOI) (CAS	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	=
No.: 507-63-1)	analysis was performed by GC/MS.				
3-Perfluoroheptyl propanoic acid	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	=
(7:3 FTCA) (CAS No.: 812-70-4)	analysis was performed by LC/MS/MS.				
1H,1H,2H,2H-Perfluorodecanesulfonic	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	=
acid and its salts (8:2 FTS and its salts)	analysis was performed by LC/MS/MS.				
(CAS No.: 39108-34-4 and its salts)					
1H,1H,2H,2H-Perfluoro-1-decanol	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
(8:2 FTOH) (CAS No.: 678-39-7)	analysis was performed by GC/MS and				
	LC/MS/MS.				
1H,1H,2H,2H-Perfluorodecyl acrylate	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
(8:2 FTA) (CAS No.: 27905-45-9)	analysis was performed by GC/MS.				
1H,1H,2H,2H-Perfluorodecyl	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
methacrylate (8:2 FTMA) (CAS No.:	analysis was performed by GC/MS.				
1996-88-9)					
2H,2H-Perfluorodecane acid and its	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
salts (H2PFDA and its salts) (CAS No.:	analysis was performed by LC/MS/MS.	5 5			
27854-31-5 and its salts)					
1H,1H,2H,2H-Perfluorodecyl iodide	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
(8_2 FTI) (CAS No.: 2043-53-0)	analysis was performed by GC/MS.	J. J			
1H,1H,2H,2H-	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
Perfluorodecyltriethoxysilane (8:2	analysis was performed by GC/MS.	J. J			
FTSi(OC2H5)3) (CAS No.: 101947-16-					
4)					
2H,2H,3H,3H-Perfluoroundecanoic	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
Acid and its salts (4HPFUnA and its	analysis was performed by LC/MS/MS.	-			
salts) (CAS No.: 34598-33-9 and its					
salts)					



No.: ETR24B04936A01 Date: 13-Dec-2024 Page: 5 of 39

TSMC WASHINGTON.
5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
1H,1H,2H-Heptadecafluoro-1-decene	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
(PFDE) (CAS No.: 21652-58-4)	analysis was performed by GC/MS.				
Bis(1H,1H,2H,2H-	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
Perfluorodecyl)phosphate and its	analysis was performed by LC/MS/MS.				
salts (8_2diPAP and its salts) (CAS					
No.: 678-41-1 and its salts)					
Hexabromocyclododecane (HBCDD)	With reference to IEC 62321: 2008,	mg/kg	5	n.d.	-
and all major diastereoisomers	analysis was performed by GC/MS.				
identified (α- HBCDD, β- HBCDD, γ-					
HBCDD) (CAS No.: 25637-99-4,					
3194-55-6 (134237-51-7, 134237-					
50-6, 134237-52-8))					
Chlorofluorocarbons (CFCs)					
CFC-13 (CAS No.: 75-72-9)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-111 (CAS No.: 354-56-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-112 (CAS No.: 76-12-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-211 (CAS No.: 422-78-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-212 (CAS No.: 3182-26-1)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-213 (CAS No.: 2354-06-5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-214 (CAS No.: 29255-31-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-215 (CAS No.: 4259-43-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-216 (CAS No.: 661-97-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-217 (CAS No.: 422-86-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-12 (CAS No.: 75-71-8)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				



No.: ETR24B04936A01 Date: 13-Dec-2024 Page: 6 of 39

TSMC WASHINGTON. 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
CFC-11 (CAS No.: 75-69-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-115 (CAS No.: 76-15-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
FC-114 (CAS No.: 76-14-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-113 (CAS No.: 76-13-1)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Hydrochlorofluorocarbons (HCFCs					
HCFC-21 (CAS No.: 75-43-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-22 (CAS No.: 75-45-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-31 (CAS No.: 593-70-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-121 (CAS No.: 354-14-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-122 (CAS No.: 354-21-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-123 (CAS No.: 306-83-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-124 (CAS No.: 2837-89-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-131 (CAS No.: 359-28-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-142b (CAS No.: 75-68-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-221 (CAS No.: 422-26-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-222 (CAS No.: 422-49-1)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-223 (CAS No.: 422-52-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-224 (CAS No.: 422-54-8)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				



No.: ETR24B04936A01 Date: 13-Dec-2024 Page: 7 of 39

TSMC WASHINGTON. 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL	Result	Limit			
				No.1				
HCFC-225ca (CAS No.: 422-56-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-			
	analysis was performed by GC/MS.							
HCFC-225cb (CAS No.: 507-55-1)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-			
	analysis was performed by GC/MS.							
ICFC-226 (CAS No.: 431-87-8)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-			
	analysis was performed by GC/MS.							
HCFC-231 (CAS No.: 421-94-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-			
	analysis was performed by GC/MS.							
HCFC-232 (CAS No.: 460-89-9)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-			
,	analysis was performed by GC/MS.							
HCFC-233 (CAS No.: 7125-84-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-			
,	analysis was performed by GC/MS.							
HCFC-234 (CAS No.: 425-94-5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-			
	analysis was performed by GC/MS.							
HCFC-235 (CAS No.: 460-92-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-			
	analysis was performed by GC/MS.							
HCFC-241 (CAS No.: 666-27-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	1			
	analysis was performed by GC/MS.							
HCFC-242 (CAS No.: 460-63-9)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-			
	analysis was performed by GC/MS.							
HCFC-244	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	ı			
	analysis was performed by GC/MS.							
HCFC-251 (CAS No.: 421-41-0)	With reference to US EPA 5021A: 2014,	mg/kg 1	mg/kg	mg/kg	1	mg/kg 1	n.d.	-
	analysis was performed by GC/MS.							
HCFC-252 (CAS No.: 819-00-1)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	1			
	analysis was performed by GC/MS.							
HCFC-261 (CAS No.: 420-97-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	1			
	analysis was performed by GC/MS.							
HCFC-262 (CAS No.: 421-02-03)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	1			
	analysis was performed by GC/MS.							
HCFC-271 (CAS No.: 430-55-7)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-			
,	analysis was performed by GC/MS.							
HCFC-141b (CAS No.: 1717-00-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-			
, ,	analysis was performed by GC/MS.							
HCFC-243 (CAS No.: 460-69-5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	=			
,	analysis was performed by GC/MS.							



No.: ETR24B04936A01 Date: 13-Dec-2024 Page: 8 of 39

TSMC WASHINGTON.
5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
HCFC-253 (CAS No.: 460-35-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-141	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-142	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-151	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-225	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-133	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-132	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Halons					
Halon-1211 (CAS No.: 353-59-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Halon-1301 (CAS No.: 75-63-8)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Halon-2402 (CAS No.: 124-73-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Halon-1202 (CAS No.: 75-61-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Methyl Bromide (CAS No.: 74-83-9)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Hydrobromofluorocarbons (HBFCs)					
HBFC-271B1 (C3H6FBr)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-262B1 (C3H5F2Br)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-261B2 (C3H5FBr2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-253B1 (C3H4F3Br)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-252B2 (C3H4F2Br2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-



No.: ETR24B04936A01 Date: 13-Dec-2024 Page: 9 of 39

TSMC WASHINGTON. 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL	Result	Limit		
				No.1			
HBFC-244B1 (C3H3F4Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-		
	analysis was performed by GC/MS.						
HBFC-243B2 (C3H3F3Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-		
	analysis was performed by GC/MS.						
HBFC-242B3 (C3H3F2Br3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-		
	analysis was performed by GC/MS.						
HBFC-241B4 (C3H3FBr4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-		
	analysis was performed by GC/MS.						
HBFC-235B1 (C3H2F5Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-		
	analysis was performed by GC/MS.						
HBFC-234B2 (C3H2F4Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-		
	analysis was performed by GC/MS.						
HBFC-233B3 (C3H2F3Br3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-		
	analysis was performed by GC/MS.						
HBFC-232B4 (C3H2F2Br4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-		
	analysis was performed by GC/MS.						
HBFC-231B5 (C3H2FBr5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-		
	analysis was performed by GC/MS.						
HBFC-226B1 (C3HF6Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	1	1	n.d.	-
	analysis was performed by GC/MS.						
HBFC-225B2 (C3HF5Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-		
	analysis was performed by GC/MS.						
HBFC-224B3 (C3HF4Br3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-		
	analysis was performed by GC/MS.						
HBFC-223B4 (C3HF3Br4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-		
	analysis was performed by GC/MS.						
HBFC-222B5 (C3HF2Br5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-		
	analysis was performed by GC/MS.						
HBFC-221B6 (C3HFBr6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-		
	analysis was performed by GC/MS.						
HBFC-151B1 (C2H4FBr)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-		
	analysis was performed by GC/MS.						
HBFC-142B1 (C2H3F2Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-		
,	analysis was performed by GC/MS.						
HBFC-141B2 (C2H3FBr2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-		
	analysis was performed by GC/MS.						



No.: ETR24B04936A01 Date: 13-Dec-2024 Page: 10 of 39

TSMC WASHINGTON. 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
HBFC-133B1 (C2H2F3Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-132B2 (C2H2F2Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-131B3 (C2H2FBr3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-124B1 (C2HF4Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
•	analysis was performed by GC/MS.				
HBFC-123B2 (C2HF3Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-122B3 (C2HF2Br3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-121B4 (C2HFBr4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-31B1 (CH2FBr) (CAS No.: 373-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
52-4)	analysis was performed by GC/MS.				
HBFC-22B1 (CHF2Br) (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
1511-62-2)	analysis was performed by GC/MS.				
HBFC-21B2 (CHFBr2) (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
1868-53-7)	analysis was performed by GC/MS.				
HBFC-251B1	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Hydrofluorocarbon (HFCs)					
HFC-23 (CHF3) (CAS No.: 75-46-7)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HFC-32 (CH2F2) (CAS No.: 75-10-5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HFC-41 (CH3F) (CAS No.: 593-53-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HFC-43-10mee (C5H2F10)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HFC-125 (C2HF5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HFC-134 (C2H2F4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				



No.: ETR24B04936A01 Date: 13-Dec-2024 Page: 11 of 39

TSMC WASHINGTON.
5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
HFC-134a (CH2FCF3) (CAS No.: 811-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
97-2)	analysis was performed by GC/MS.				
HFC-143 (C2H3F3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HFC-143a (C2H3F3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HFC-152a (C2H4F2) (CAS No.: 75-37	- With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
6)	analysis was performed by GC/MS.				
HFC-227ea (C3HF7) (CAS No.: 431-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
89-0)	analysis was performed by GC/MS.				
HFC-236fa (CAS No.: 431-63-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HFC-245ca (C3H3F5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
,	analysis was performed by GC/MS.				
HFC-245fa (C3H3F5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
· · ·	analysis was performed by GC/MS.				
HFC-365mfc (C4H5F5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HFC-236ea (C3H2F6) (CAS No.: 431-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
63-0)	analysis was performed by GC/MS.				
HFC-236cb	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HFC-161	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HFC-152	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Perfluorocarbon (PFCs)					
2-Perfluoromethylpentane (CAS No.	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
355-04-4)	analysis was performed by GC/MS.				
Decafluorobutane (CAS No.: 355-25-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
9)	analysis was performed by GC/MS.				
F14 (CAS No.: 75-73-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
· · · · · · ·	analysis was performed by GC/MS.				
Fluorocarbon 116 (CAS No.: 76-16-4	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	=
,	analysis was performed by GC/MS.				



No.: ETR24B04936A01 Date: 13-Dec-2024 Page: 12 of 39

TSMC WASHINGTON.
5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	'
Freon 218 (CAS No.: 76-19-7)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Freon C318 (CAS No.: 115-25-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Perfluorohexane (CAS No.: 355-42-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Perfluoro-n-pentane (CAS No.: 678-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
26-2)	analysis was performed by GC/MS.				
Perfluorodecalin (CAS No.: 306-94-5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Chlorinate hydrocarbon (CHCs)					
1,1-Dichloropropene (CAS No.: 563-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
58-6)	analysis was performed by GC/MS.				
1,2-Dichloroethane (CAS No.: 107-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
06-2)	analysis was performed by GC/MS.				
2,2-Dichloropropane (CAS No.: 594-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
20-7)	analysis was performed by GC/MS.				
Carbon tetrachloride (CAS No.: 56-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
23-5)	analysis was performed by GC/MS.				
Chloromethane (CAS No.: 74-87-3)	With reference to US EPA 5021A: 2014,	mg/kg 1 n	1 n.d.	ng/kg 1 n.d.	-
	analysis was performed by GC/MS.				
cis-1,2-Dichloroethene (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
156-59-2)	analysis was performed by GC/MS.				
cis-1,3-Dichloropropene (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
10061-01-5)	analysis was performed by GC/MS.				
Hexachlorobutadiene (CAS No.: 87-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
68-3)	analysis was performed by GC/MS.				
trans-1,2-Dichloroethene (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
156-60-5)	analysis was performed by GC/MS.				
	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
10061-02-6)	analysis was performed by GC/MS.				
Dichloromethane (CAS No.: 75-09-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
1,2-Dichloropropane (CAS No.: 78-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
87-5)	analysis was performed by GC/MS.				



No.: ETR24B04936A01 Date: 13-Dec-2024 Page: 13 of 39

TSMC WASHINGTON.
5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	'
1,1,1,2-Tetrachloroethane (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
630-20-6)	analysis was performed by GC/MS.				
1,1,1-Trichloroethane (CAS No.: 71-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
55-6)	analysis was performed by GC/MS.				
1,1,2-Trichloroethane (CAS No.: 79-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
00-5)	analysis was performed by GC/MS.				
1,1,2,2-Tetrachloroethane (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
79-34-5)	analysis was performed by GC/MS.				
1,1-Dichloroethylene (CAS No.: 75-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
35-4)	analysis was performed by GC/MS.				
1,1-Dichloroethane (CAS No.: 75-34-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
3)	analysis was performed by GC/MS.				
Chloroethane (CAS No.: 75-00-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	_
	analysis was performed by GC/MS.				
Tetrachloroethene (CAS No.: 127-18-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	_
4)	analysis was performed by GC/MS.				
Trichloroethylene (CAS No.: 79-01-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	_
	analysis was performed by GC/MS.				
1,3-Dichloropropane (CAS No.: 142-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	_
28-9)	analysis was performed by GC/MS.				
Chloroform (CAS No.: 67-66-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	_
	analysis was performed by GC/MS.				
1,2,3-Trichloropropane (CAS No.: 96-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	_
18-4)	analysis was performed by GC/MS.				
Bromochloromethan (CAS No.: 74-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	_
97-5)	analysis was performed by GC/MS.				
Sulfur hexafluoride (CAS No.: 2551-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	_
62-4)	analysis was performed by GC/MS.				
1-Bromopropane (CAS No.: 106-94-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
5)	analysis was performed by GC/MS.				
Bromoethane (CAS No.: 74-96-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Trifluoroiodomethane (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
2314-97-8)	analysis was performed by GC/MS.				
2-Bromo-3,3,3-trifluoroprop-1-ene	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
(CAS No.: 1514-82-5)	analysis was performed by GC/MS.				



No.: ETR24B04936A01 Date: 13-Dec-2024 Page: 14 of 39

TSMC WASHINGTON. 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Arsenic (As) (CAS No.: 7440-38-2)	With reference to US EPA 3052: 1996,	mg/kg	2	n.d.	-
	analysis was performed by ICP-OES.				
Beryllium (Be) (CAS No.: 7440-41-7)	With reference to US EPA 3052: 1996,	mg/kg	2	n.d.	-
	analysis was performed by ICP-OES.				
Phosphorus (P) (CAS No.: 7723-14-0)	With reference to US EPA 3052: 1996,	mg/kg	2	5.13	-
	analysis was performed by ICP-OES.				
Antimony (Sb) (CAS No.: 7440-36-0)	With reference to US EPA 3052: 1996,	mg/kg	2	n.d.	-
	analysis was performed by ICP-OES.				
Ethylene glycol monomethyl ether	With reference to US EPA 3550C: 2007,	mg/kg	10	n.d.	-
(CAS No.: 109-86-4)	analysis was performed by GC/MS.				
2-Ethoxyethanol (CAS No.: 110-80-5)	With reference to US EPA 3550C: 2007,	mg/kg	10	n.d.	-
	analysis was performed by GC/MS.				
Ethylene glycol monomethyl ether	With reference to US EPA 3550C: 2007,	mg/kg	10	n.d.	-
acetate (CAS No.: 110-49-6)	analysis was performed by GC/MS.				
2-Ethoxyethyl acetate (CAS No.: 111-	With reference to US EPA 3550C: 2007,	mg/kg	10	n.d.	=
15-9)	analysis was performed by GC/MS.				
Diethylene glycol monomethyl ether	With reference to US EPA 3550C: 2007,	mg/kg	10	n.d.	-
(CAS No.: 111-77-3)	analysis was performed by GC/MS.				
Ethylene glycol monobutyl ether	With reference to US EPA 3550C: 2007,	mg/kg	10	n.d.	=
(CAS No.: 111-76-2)	analysis was performed by GC/MS.				
Diethylene glycol dimethyl ether	With reference to US EPA 3550C: 2007,	mg/kg	10	n.d.	-
(DEGDME) (CAS No.: 111-96-6)	analysis was performed by GC/MS.				
2-(2-butoxyethoxy) ethanol (CAS	With reference to US EPA 3550C: 2007,	mg/kg	10	n.d.	-
No.: 112-34-5)	analysis was performed by GC/MS.				
Ethylene glycol dimethyl ether (CAS	With reference to US EPA 3550C: 2007,	mg/kg	10	n.d.	-
No.: 110-71-4)	analysis was performed by GC/MS.				
1,2-bis(2-methoxyethoxy) ethane	With reference to US EPA 3550C: 2007,	mg/kg	10	n.d.	-
(CAS No.: 112-49-2)	analysis was performed by GC/MS.				
Triphenyl tin (TPT)		mg/kg	0.03	n.d.	_
Tributyl tin (TBT)	With reference to ISO 17353: 2004,	mg/kg	0.03	n.d.	-
Dioctyl tin (DOT)	analysis was performed by GC/FPD.	mg/kg	0.03	n.d.	-
Dibutyl tin (DBT)		mg/kg	0.03	n.d.	-
Bis(tributyltin) oxide (TBTO) (CAS	Calculated from the result of Tributyl	mg/kg	0.03 🛦	n.d.	-
No.: 56-35-9)	Tin (TBT).				



No.: ETR24B04936A01 Date: 13-Dec-2024 Page: 15 of 39

TSMC WASHINGTON.
5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
Polycyclic Aromatic Hydrocarbons (PAHs)					
Benzo[a]pyrene (CAS No.: 50-32-8)		mg/kg	0.2	n.d.	Δ
Benzo[e]pyrene (CAS No.: 192-97-2)		mg/kg	0.2	n.d.	Δ
Benzo[a]anthracene (CAS No.: 56-55-3)		mg/kg	0.2	n.d.	Δ
Benzo[b]fluoranthene (CAS No.: 205-99-2)		mg/kg	0.2	n.d.	Δ
Benzo[j]fluoranthene (CAS No.: 205-82-3)		mg/kg	0.2	n.d.	Δ
Benzo[k]fluoranthene (CAS No.: 207-08-9)		mg/kg	0.2	n.d.	Δ
Chrysene (CAS No.: 218-01-9)	NAVith watered as to AFDC CC 2010:01 DAK	mg/kg	0.2	n.d.	Δ
Dibenzo[a,h]anthracene (CAS No.: 53-70-3)	With reference to AfPS GS 2019:01 PAK, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	Δ
Benzo[g,h,i]perylene (CAS No.: 191- 24-2)		mg/kg	0.2	n.d.	Δ
Indeno[1,2,3-c,d]pyrene (CAS No.: 193-39-5)		mg/kg	0.2	n.d.	Δ
Anthracene (CAS No.: 120-12-7)		mg/kg	0.2	n.d.	Δ
Fluoranthene (CAS No.: 206-44-0)		mg/kg	0.2	n.d.	Δ
Phenanthrene (CAS No.: 85-01-8)		mg/kg	0.2	n.d.	Δ
Pyrene (CAS No.: 129-00-0)		mg/kg	0.2	n.d.	Δ
Naphthalene (CAS No.: 91-20-3)		mg/kg	0.2	n.d.	Δ
Sum of 15 PAHs		mg/kg	-	n.d.	Δ
Polychlorinated naphthalene (PCNs)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Polychlorinated terphenyls (PCTs)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	0.5	n.d.	-
Short Chain Chlorinated Paraffins(C10-C13) (SCCP) (CAS No.: 85535-84-8)	With reference to ISO 18219-1: 2021, analysis was performed by GC/MS.	mg/kg	50	n.d.	-



No.: ETR24B04936A01 Date: 13-Dec-2024 Page: 16 of 39

TSMC WASHINGTON. 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)			MDL	Result No.1	Limit
AZO Dyes 4-aminobiphenyl (CAS No.: 92-67-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
Benzidine (CAS No.: 92-87-5)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4-chloro-o-toluidine (CAS No.: 95-69-2)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2-naphthylamine (CAS No.: 91-59-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
o-aminoazotoluene (CAS No.: 97-56- 3)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
5-nitro-o-toluidine (CAS No.: 99-55-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4-chloroaniline (CAS No.: 106-47-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2,4-diaminoanisole (CAS No.: 615- 05-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4,4'-diaminodiphenylmethane (MDA) (CAS No.: 101-77-9)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
3,3'-dichlorobenzidine (CAS No.: 91- 94-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
3,3'-dimethoxybenzidine (CAS No.: 119-90-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-



No.: ETR24B04936A01 Date: 13-Dec-2024 Page: 17 of 39

TSMC WASHINGTON.
5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
3,3'-dimethylbenzidine (CAS No.: 119-93-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
3,3'-dimethyl-4,4'- diaminodiphenylmethane (CAS No.: 838-88-0)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	=
2-methoxy-5-methylaniline (CAS No.: 120-71-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4,4'-methylene-bis-(2-chloroaniline) (CAS No.: 101-14-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4,4'-oxydianiline (CAS No.: 101-80-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4,4'-thiodianiline (CAS No.: 139-65- 1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
o-toluidine (CAS No.: 95-53-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2,4-diaminotoluene (CAS No.: 95-80-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2,4,5-trimethylaniline (CAS No.: 137- 17-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
o-anisidine (CAS No.: 90-04-0)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4-aminoazobenzene (CAS No.: 60- 09-3)	With reference to EN ISO 14362-1: 2017 or/and EN ISO 14362-3: 2017, analysis was performed by GC/MS & HPLC/DAD.	mg/kg	3	n.d.	-
2,4-xylidine (CAS No.: 95-68-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-



No.: ETR24B04936A01 Date: 13-Dec-2024 Page: 18 of 39

TSMC WASHINGTON.
5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
2,6-xylidine (CAS No.: 87-62-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
Asbestos					
Actinolite (CAS No.: 77536-66-4)	With reference to EPA 600/R-93/116:	-	-	Negative	-
Amosite (CAS No.: 12172-73-5)	1993, analysis was performed by Stereo	-	-	Negative	-
Anthophyllite (CAS No.: 77536-67-5)	Microscope (SM), Dispersion Staining	-	-	Negative	-
Chrysotile (CAS No.: 12001-29-5)	Polarized Light Microscope (DS-PLM)	-	-	Negative	-
Crocidolite (CAS No.: 12001-28-4)	and X-ray Diffraction Spectrometer	-	-	Negative	-
Tremolite (CAS No.: 77536-68-6)	(XRD).	-	-	Negative	-

#### Note:

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected (Less than MDL)
- 4. "-" = Not Regulated
- 5. Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".
- 6. ▲ : The MDL was evaluated for element / tested substance.

Conversion Formula :  $AX = A \times F$ 

AX	Α	F
Bis(tributyltin)oxide (TBTO)	Tributyl Tin (TBT)	1.0276

Parameter Conversion Table: https://eecloud.sgs.com/Region\_TW/DocDownload.aspx?name=Others

- 7. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.
- 8. This report is added testing and combined with ETR24B04936.



No.: ETR24B04936A01 Date: 13-Dec-2024

TSMC WASHINGTON. 5509 NW PARKER STREET, CAMAS, WA 98607, USA

#### PAHs Remark:

#### △ AfPS (German commission for Product Safety): GS PAHs requirements

	Category 1	Cate	gory 2	Cate	gory 3
Parameter	be placed in the	hterials intended to placed in the puth, or materials in contact (> 30 seconds) or short-term repetitive to 3 years of age  Materials that are not in Category 1, with intended or foreseeable long-term skin contact (> 30 seconds) or short-term repetitive contact with the skin.			covered by 2, with oreseeable in contact (≦30
	term skin contact (> 30 seconds).	a. Use by children under 14	b. Other consumer products	a. Use by children under 14	b. Other consumer products
Naphthalene	< 1	< 2		<	10
Phenanthrene					
Anthracene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Fluoranthene	< I Suili	< 3 3um	< 10 3um	< 20 Julii	\ 30 3uiii
Pyrene					
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[b]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[j]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[k]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[e]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Indeno[1,2,3-c,d] pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenzo[a,h]anthracene		< 0.2	< 0.5	< 0.5	< 1
Benzo[g,h,i]perylene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Sum of 15 PAH	< 1	< 5	< 10	< 20	< 50

Unit: mg/kg

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 19 of 39



No.: ETR24B04936A01 Date: 13-Dec-2024 Page: 20 of 39

TSMC WASHINGTON. 5509 NW PARKER STREET, CAMAS, WA 98607, USA

#### PFAS Remark:

The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.)

Group Name	Substance Name	CAS No.
	Perfluorooctane sulfonates (PFOS)	1763-23-1
	Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
	Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
	Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH <sub>4</sub> )	29081-56-9
	Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) <sub>2</sub> )	70225-14-8
	Perfluorooctanesulfonic acid, tetraethylammonium salt (PFOS-N(C <sub>2</sub> H <sub>5</sub> ) <sub>4</sub> )	56773-42-3
	N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1- sulfonate (PFOS-DDA)	251099-16-8
	Tetrabutyl Ammonium perfluorooctanesul fonate (PFOS-N(C <sub>4</sub> H <sub>9</sub> ) <sub>4</sub> )	111873-33-7
PFOS, its salts & derivatives	Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
1103, its saits & delivatives	Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4
	Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0
	Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctanesulfonate	71463-74-6
	Perfluorooctanesulfonate (anion)	45298-90-6
	1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, compd. with N,N-diethylethanamine (1:1) (PFOS-N(C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> )	54439-46-2
	Methanaminium, N,N,N-trimethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1) (PFOS-N(CH <sub>3</sub> ) <sub>4</sub> )	56773-44-5
	1-Pentanaminium, N,N,N-tripropyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1) (PFOS-N(C <sub>3</sub> H <sub>7</sub> ) <sub>3</sub> (C <sub>5</sub> H <sub>11</sub> ))	56773-56-9



No.: ETR24B04936A01 Date: 13-Dec-2024 Page: 21 of 39

TSMC WASHINGTON. 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Group Name	Substance Name	CAS No.
	1-Butanaminium, N,N-dibutyl-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N( $C_4H_9$ ) <sub>3</sub> (CH <sub>3</sub> ))	124472-68-0
	lodonium, bis[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1)	213740-80-8
	Sulfonium, diphenyl(2,4,6-trimethylphenyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1)	258341-99-0
	Pyridinium, 1-hexadecyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	334529-63-4
PFOS, its salts & derivatives	1-Decanaminium, N,N,N-triethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1)	773895-92-4
	Tetrabutylphosphonium perfluorooctane sulfonate $(PFOS-P(C_4H_9)_4))$	2185049-59-4
	Perfluorooctanesulfonic acid diethylamine salt (PFOS-C <sub>4</sub> H <sub>11</sub> N)	2205029-08-7
	$\label{lem:heptyldimethyl} Heptyldimethyl \ \{2-[(2-methylprop-2-enoyl)oxy]ethyl\} azanium perfluorooctanesulfonate (PFOS-C_{15}H_{30}NO_2)$	1203998-97-3
	1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluoro-, 1,1'-anhydride (PFOSAN)	423-92-7
	Perfluoroctanesulfonamide (PFOSA)	754-91-6
	Perfluorooctanesulfonamide lithium salt (1:1) (PFOSA-Li)	76752-79-9
	Perfluorooctanesulfonamide Sodium salt (1:1) (PFOSA-Na)	76752-78-8
PFOSA, its salts	Perfluorooctanesulfonamide Potassium salt (1:1) (PFOSA-K)	76752-70-0
PFOSA, ILS SAILS	Perfluorooctanesulfonamide Ammonium salt (1:1) (PFOSA-NH <sub>4</sub> )	76752-72-2
	heptadecafluorooctane-1-sulphonamide, compound with triethylamine(1:1) (PFOSA- $C_6H_{15}N$ )	76752-82-4
	1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	39108-34-4
	1H,1H,2H,2H-Perfluorodencane sulfonate acid Potassium salt (8:2 FTS-K)	438237-73-1
8:2 FTS, its salts	1H,1H,2H,2H-Perfluorodencane sulfonate acid Ammonium salt (8:2 FTS-NH <sub>4</sub> )	149724-40-3
	1H,1H,2H,2H-Perfluorodencane sulfonate acid Sodium salt (8:2 FTS-Na)	27619-96-1
	8: 2 Fluorotelomer sulfonate (anion) (8:2 FTS(anion))	481071-78-7



No.: ETR24B04936A01 Date: 13-Dec-2024 Page: 22 of 39

TSMC WASHINGTON.
5509 NW PARKER STREET, CAMAS, WA 98607, USA

Group Name	Substance Name	CAS No.
	Perfluorooctanoic acid (PFOA)	335-67-1
	Sodium perfluorooctanoate (PFOA-Na)	335-95-5
	Potassium perfluorooctanoate (PFOA-K)	2395-00-8
	Silver perfluorooctanote (PFOA-Ag)	335-93-3
	Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	Lithium perfluorooctanoate (PFOA-Li)	17125-58-5
	Cobalt perfluorooctanoate (PFOA-Co)	35965-01-6
	Cesium perfluorooctanoate (PFOA-Cs)	17125-60-9
	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium(3+) (PFOA-Cr(3 <sup>+</sup> ))	68141-02-6
	Pentadecafluorooctanoic acidpiperazine (2/1)PFOA- $NH(C_4H_{10}N)$	423-52-9
	Pentadecafluorooctanoate (anion)	45285-51-6
	Perfluorooctanoic Anhydride	33496-48-9
PFOA, its salts & derivatives	Ethanaminium, N,N,N-triethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)	98241-25-9
	Tetramethylammoniumperfluoroctanoat	32609-65-7
	1-Propanaminium, N,N,N-tripropyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)	277749-00-5
	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, potassium salt, hydrate (1:1:2) (PFOA-K(H <sub>2</sub> O) <sub>2</sub> )	98065-31-7
	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, compd. with ethanamine (1:1) (PFOA- $C_2H_7N$ )	1376936-03-6
	Octanoic acid, pentadecafluoro-, compd. with pyridine (1:1) (9CI) (PFOA- $C_5H_5N$ )	95658-47-2
	Pentadecafluorooctanoic acid- 1-phenylpiperazine(1:1) (PFOA-C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> )	1514-68-7
	1-Octanaminium, N,N,N-trimethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1) (PFOA- $C_{11}H_{26}N$ )	927835-01-6
LIODEDA ': !:	2H,2H-Perfluorodecane acid (H2PFDA)	27854-31-5
H2PFDA, its salts	Tetrabutylphosphonium 2H,2H-Perfluorodecanoate	882489-14-7
	2H,2H,3H,3H-Perfluoroundecanoic Acid (4HPFUnA)	34598-33-9
4HPFUnA, its salts	Potassium 2H,2H,3H,3H-Perfluoroundecanoate (H4PFUnA-K)	83310-58-1
	Lithium 3-(perfluorooctyl)propanoate (H4PFUnA-Li)	67304-23-8



No.: ETR24B04936A01 Date: 13-Dec-2024 Page: 23 of 39

TSMC WASHINGTON. 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Group Name	Substance Name	CAS No.
	Bis(1H,1H,2H,2H-Perfluorodecyl)phosphate (8:2diPAP)	678-41-1
	Sodium bis(1H,1H,2H,2H-perfluorodecyl)phosphate (8:2diPAP-Na)	114519-85-6
8:2diPAP, its salts	Bis(2-hydroxyethyl)ammonium bis((perfluorooctyl)ethyl) hydrogen phosphate	57677-97-1
	Bis[2-(perfluorooctyl)ethyl] phosphate ammonium salt (8:2diPAP-NH <sub>4</sub> )	93776-20-6
	8:2 Fluorotelomer phosphate diester ion	1411713-91-1




No.: ETR24B04936A01 Date: 13-Dec-2024 Page: 24 of 39

TSMC WASHINGTON. 5509 NW PARKER STREET, CAMAS, WA 98607, USA

#### Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.

( Cr<sup>6+</sup> test method excluded )






No.: ETR24B04936A01 Date: 13-Dec-2024

TSMC WASHINGTON. 5509 NW PARKER STREET, CAMAS, WA 98607, USA

#### Analytical flow chart - PBBs / PBDEs

First testing process \_\_\_\_
Optional screen process \_\_\_\_
Confirmation process \_\_\_\_



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 25 of 39




TSMC WASHINGTON. 5509 NW PARKER STREET, CAMAS, WA 98607, USA Date: 13-Dec-2024 Page: 26 of 39

Analytical flow chart - Phthalate

No.: ETR24B04936A01

[Test method: IEC 62321-8]






TSMC WASHINGTON. 5509 NW PARKER STREET, CAMAS, WA 98607, USA

No.: ETR24B04936A01

Date: 13-Dec-2024 Page: 27 of 39

#### Analytical flow chart - Halogen






TSMC WASHINGTON. 5509 NW PARKER STREET, CAMAS, WA 98607, USA Date: 13-Dec-2024 Page: 28 of 39

#### Analytical flow chart - HBCDD

No.: ETR24B04936A01






TSMC WASHINGTON. 5509 NW PARKER STREET, CAMAS, WA 98607, USA Date: 13-Dec-2024 Page: 29 of 39

#### Analytical flow chart of volatile organic compounds (VOCs)

【Reference method: US EPA 5021A】

No.: ETR24B04936A01






TSMC WASHINGTON. 5509 NW PARKER STREET, CAMAS, WA 98607, USA Date: 13-Dec-2024 Page: 30 of 39

#### Analytical flow chart - Ethylene glycol ether

No.: ETR24B04936A01





TSMC WASHINGTON.
5509 NW PARKER STREET, CAMAS, WA 98607, USA


Date: 13-Dec-2024 Page: 31 of 39

#### Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

No.: ETR24B04936A01

【Reference method: US EPA 3051A、US EPA 3052】




<sup>\*</sup> US EPA 3051A method does not add HF.



TSMC WASHINGTON. 5509 NW PARKER STREET, CAMAS, WA 98607, USA Date: 13-Dec-2024 Page: 32 of 39

#### Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)

No.: ETR24B04936A01






No.: ETR24B04936A01 Date: 13-Dec-2024

TSMC WASHINGTON.
5509 NW PARKER STREET, CAMAS, WA 98607, USA

#### Analytical flow chart

\* Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 33 of 39



TSMC WASHINGTON. 5509 NW PARKER STREET, CAMAS, WA 98607, USA Date: 13-Dec-2024 Page: 34 of 39

#### Analytical flow chart - Organic-Tin

No.: ETR24B04936A01






TSMC WASHINGTON. 5509 NW PARKER STREET, CAMAS, WA 98607, USA Date: 13-Dec-2024 Page: 35 of 39

#### Analysis flow chart for determination of Asbestos 【Reference method: EPA 600/R-93/116】

No.: ETR24B04936A01






No.: ETR24B04936A01 Date: 13-Dec-2024

TSMC WASHINGTON. 5509 NW PARKER STREET, CAMAS, WA 98607, USA

#### Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 36 of 39




No.: ETR24B04936A01 Date: 13-Dec-2024


TSMC WASHINGTON.
5509 NW PARKER STREET, CAMAS, WA 98607, USA

\* The tested sample / part is marked by an arrow if it's shown on the photo. \*

#### ETR24B04936



#### ETR24B04936



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 37 of 39




No.: ETR24B04936A01 Date: 13-Dec-2024

TSMC WASHINGTON.
5509 NW PARKER STREET, CAMAS, WA 98607, USA

#### ETR24B04936



#### ETR24B04936



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 38 of 39



No.: ETR24B04936A01 Date: 13-Dec-2024

TSMC WASHINGTON. 5509 NW PARKER STREET, CAMAS, WA 98607, USA

#### ETR24B04936



\*\* End of Report \*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 39 of 39